

VONDOM

CONTRACT

COLLECTIONS

128	REVOLUTION
16	AFRICA
52	BROOKLYN
58	DELTA
98	FAZ
116	FAZ BAR
112	FRAME
114	FIESTA
122	GATSBY
28	IBIZA
72	KES
42	KIMONO
46	LOVE
108	MARI-SOL
120	MARQUIS
68	PEDRERA
34	QUARTZ
64	SABINAS
84	SOLID
88	SPRITZ
94	VASES
118	VELA
76	VOXEL
24	WALL STREET

PRODUCT GUIDE CATEGORIES

128	REVOLUTION
144	CHAIRS
154	SOFA
156	STOOLS
159	SUN LOUNGERS
161	TABLES
178	COUNTERS
184	LAMPS
186	FINISHES

MANTA

BY EUGENI QUITLET



MANTA **SWIVEL & SWIVEL WITH CASTERS & SWIVEL WOODEN LEGS & CANTILEVER & FRAME TABLE**
white & melon & black & ecru



MANTA **SWIVEL WOODEN LEGS & FRAME TABLE**
wood 1 base + black seat & black base + hpl black



MANTA **SWIVEL & MARI-SOL TABLE**
black base + white seat & white base + hpl white



MANTA **SWIVEL CHAIR** & FRAME **TABLE**
black base + tortora seat & black base + hpl black



MANTA **CANTILEVER CHAIR** & FRAME **TABLE**
black base + ecru seat & black base + hpl black

INCASSO

BY ARCHIRIVOLTO DESIGN



INCASSO **WOODEN SWIVEL CHAIR & SWIVEL CHAIR WITH CASTERS & SWIVEL CHAIR**
opaque black & crystal & fume & opaque white & amber



INCASSO **SWIVEL CHAIR WITH CASTERS** & FRAME **TABLE**
white base + opaque white seat & white table base + white hpl top



INCASSO **SWIVEL CHAIR** & MARI-SOL **TABLE**
black base + crystal seat & black base + black hpl top



INCASSO **WOODEN SWIVEL CHAIR**
wood 1 + black + ambar seat



INCASSO **WOODEN SWIVEL CHAIR & VELA TABLE**
wood 2 base + opaque black seat & black base + black hpl top

AFRICA

BY EUGENI QUILLET



AFRICA **ARMCHAIR & CHAIR & STOOL** & MARI-SOL **TABLE**
black & ecru




AFRICA **ARMCHAIR** & MARI-SOL **TABLE**
white



AFRICA **ARMCHAIR** & **CHAIR** & **STOOL** & MARI-SOL **TABLE**
white & ecru



AFRICA **SUN LOUNGER**
white



AFRICA **SUN LOUNGER**
gray



WALL STREET

BY EUGENI QUITLET



WALL-STREET **ARMCHAIR** & MARI-SOL **TABLE**
white



IBIZA

BY EUGENI QUITLET



IBIZA **SUN LOUNGER & LOUNGE CHAIR & CHAIR
& ARMCHAIR & CHAIR WITH ARMS**
milos & cala




reddot winner 2020



IBIZA **LOUNGE CHAIR** & **SUN LOUNGER** & MARI-SOL **TABLE**
milos & white



IBIZA **SUN LOUNGER**
milos



QUARTZ

BY RAMÓN ESTEVE



QUARTZ **CHAIR** & **FOLDING CHAIR** & **CHAIR WITH ARMS**
white & black & bronze



QUARTZ **FOLDING CHAIR**
black



Hotel
QUARTZ **FOLDING CHAIR**
black



QUARTZ **TABLE**
white, ecru & black



Terrace
QUARTZ **CHAIR & TABLE**
black & white



QUARTZ **CHAIR & TABLE**
black



Private House
QUARTZ **CHAIR & FRAME TABLE** & ULM **DAYBED**
white & lacq. white

KIMONO

BY RAMÓN ESTEVE



KIMONO **CHAIR** & FAZ **TABLE**
cristal & black



KIMONO **CHAIR**
white & cristal



KIMONO **CHAIR**
amber

LOVE

BY EUGENI QUITLLET



LOVE **CHAIR**
manta





LOVE MINI

BY EUGENI QUITLLET



LOVE **MINI CHAIR**
melon & almond & navy

BROOK- LYN

BY EUGENI QUITLET



BROOKLYN **CHAIR & STOOLS** & MARI-SOL **TABLE**
black & black + glass top



BROOKLYN **STOOL**
black



BROOKLYN **STOOLS** & MARI-SOL **TABLE**
black



DELTA

BY JORGE PENSI



DELTA **CHAIR & TABLE**
white



DELTA **TABLE**
white + glass & black + black hpl & black hpl



DELTA **TABLE & CHAIR**
white table base + glass top & white



SABINAS

BY JAVIER MARISCAL



SABINAS **ARMCHAIR** & MARI-SOL **TABLE**
red & black




PEDRERA

BY EUGENI QUITLET



Batel Auditorium, Spain
PEDRERA ARMCHAIR & MARI-SOL TABLE
 red & white + glass top



KES

BY GABRIELE + OSCAR BURATTI



KES **CHAIR & CHAIR WITH ARMS** & MARI-SOL **TABLE**
white



VOXEL

BY KARIM RASHID




VOXEL **CHAIR** + FAZ INOX. **TABLE**
white



VOXEL **STOOL & CHAIR** & FAZ **COUNTER** & TABLE
black & lacquered black



VOXEL **ARMCHAIR** & **SUN LOUNGER** & **CHAIR** & **STOOL**
white



VOXEL MINI

BY KARIM RASHID



VOXEL **MINI CHAIR**
white

SOLID

BY STEFANO GIOVANNONI



SOLID **ARMCHAIR & CHAIR & TABLE**
white



SPRITZ

BY ARCHIRIVOLTO DESIGN



SPRITZ **SUN LOUNGER & LOW TABLE**
ecru



SPRITZ **SOFA & LOUNGE CHAIR & COFFEE TABLE**
white



SPRITZ **STOOL & TABLE**
white




VASES

BY ESTUDI{H}AC



VASES **CHAIR & STOOL** & MARI-SOL **TABLE**
white



FAZ

BY RAMÓN ESTEVE



FAZ **CHAIR & ARMCHAIR & TABLE**
white & ecru



FAZ **CHAIR & ARMCHAIR & FRAME TABLE**
black



Restaurant, Spain
FAZ **CHAIR & ARMCHAIR & TABLE & COUNTER**
black & inox. legs



FAZ **STOOL & TABLE**
black



FAZ. **CHAIR & TABLE**
black



FAZ WOOD **CHAIR & ARMCHAIR & TABLE**
white + ash wood 2



FAZ WOOD **CHAIR & ARMCHAIR & STOOL & TABLE**
black + ash wood 2




MARI-SOL

BY EUGENI QUITLET



AFRICA **ARMCHAIR** & MARI-SOL **TABLE**
white



FRAME

BY RAMÓN ESTEVE



FRAME **TABLE** & WALLSTREET **SOOL**
white & white

FIESTA

BY ARCHIRIVOLTO DESIGN



FIESTA **COUNTER 120**
ice + rgbw



FIESTA **COUNTER & MOMA STOOL**
ice

FAZ

BY RAMÓN ESTEVE



Hotel hall
FAZ **COUNTER** & VERTEX **STOOL** & FAZ **LAMP**
ice + rgbw

VELA

BY RAMÓN ESTEVE



VELA **CATERING COUNTER**
white + glass top + ice-bucket

MARQUIS

BY ESTUDI{H}AC



MARQUIS **TABLE LAMP**
clear

GATSBY

BY RAMÓN ESTEVE



GATSBY **PRISM TABLE LAMP** & **FAZ STOOL**
ambar & clear & black



GATSBY **CYLINDRICAL TABLE LAMP** & FAZ **CHAIR & TABLE**
clear & ecru & black



reddot winner 2020



GATSBY **PRISM TABLE LAMP**
ambar & clear & black

REVOLUTION

Collections manufactured by
recovering and recycling plastics
from the Mediterranean

IBIZA

BY EUGENI QUITLLET



This is the first collection we launched by recovering and manufacturing recycled fishing nets from the Mediterranean Sea. Eugeni Quitllet was inspired by the idyllic natural surroundings of Ibiza, where he spent his childhood, to design a unique Mediterranean inspired collection. Wave shaped liked pieces that also simulate seashells.



EVOLUTION



BROOKLYN
BY EUGENI QUITLET



The Brooklyn Chair is available in three Revolution colours: Milos, Cala and Manta. We obtain Manta colour from recollecting and processing fishing nets from Mediterranean fishermen and transforming them into durable and recyclable products.



EVOLUTION

AFRICA

BY EUGENI QUITLET



The Revolution's white is called Milos (on the right photo) and it is the result of transforming recycled plastics from our Mediterranean coasts. Our designs are created with a soul.



REVOLUTION



LOVE
BY EUGENI QUITLET



Cala (on the right photo) is a bright but also warm colour obtained from processing plastics from the Balearic Islands and transforming them into lasting and recyclable products.



PEDRERA

BY EUGENI QUITLET



In our VONDOM Revolution range, we manufacture our products using recycled plastic from the Mediterranean Sea, extending its life and enhancing its real value. Due to the origin of this raw material slight natural imperfections may appear, which gives every piece its own personality and spirit.



EVOLUTION

PRICE LIST & **FEATURES**



146



	Basic. Básico. 65036 65036VR Lacquered. Lacado.  65036F	WHITE BLACK ECRU RED Bronze PICKLE NAVY	LACQ. WHITE LACQ. BLACK LACQ. RED LACQ. ANTH. MILOS (R) CALA (R) MANTA (R)	4 units 17,8 kg 0,36 m³ 39 lb 12,7 ft³ 80 31½" 52 - 20½" 44 17¼" 40 - 15¾"
---	---	--	---	---

BROOKLYN chair with armrests.

Basic. Básico. - 65038

REVOOLUTION
Recycled plastic from the Mediterranean*

Lacquered. Lacado. - 65038VR

4 units
22,3 kg 0,44 m³
44 lb 15,3 ft³

Color selection chart:

- WHITE
- BLACK
- ECRU
- TORTORA
- PICKLE
- LACQ. WHITE
- LACQ. BLACK
- LACQ. ANTH.
- MILOS (R)
- CALA (R)
- MANTA (R)

Dimensions:

- Height: 83 32 1/4"
- Width: 54 21 1/4"
- Depth: 47 16 1/4"
- Seat height: 19 1/4"
- Armrest height: 69 27 1/4"

Stackable 7 max.

Cushion available pag. 185

UNE-EN 581-1/2/3

BIFMA ANSI/BIFMA X5.4









Fire proof UNE EN 1021 IMO A.652 UNI 9775 BS 5852

light exposure ISO 4892-2



IBIZA armchair	Basic. Básico. 65041 EVOLUTION Recycled plastic from the Mediterranean* 65041VR	WHITE BLACK ECRU PICKLE	MILOS (R) CALA (R) MANTA (R)	4 units 25,5 kg - 0,5 m³ 56 lb - 18 ft³	60 - 23½" 81 31¼" 51 - 20¼" 45 17¾"
-----------------------	---	----------------------------------	------------------------------------	--	--

stackable 6 max.	cushion available pag. 185	UNE-EN S81-1/2/3	BEFMA ANSI/BIFMA X5.4	Fire proof UNE EN 1021 IMO A.652 UNI 9175 BS 5852	light exposure ISO 4892-2
---------------------	----------------------------------	----------------------------	------------------------------------	---	------------------------------

					Price per unit Precio unidad	Seat colour Color de asiento	Metal Colour Color del metal	Wood Madera	Packaging Embalaje					
	Basic. Básico.	-			65004									
	REVOLUTION Recycled plastic from the Mediterranean*	-			65004VR									
	Lacquered. Lacado.	-			65004F									
														
	Basic. Básico.	-			65042									
	REVOLUTION Recycled plastic from the Mediterranean*	-			65042VR									
	Lacquered. Lacado.	-			65042F									
														
	Basic. Básico.	-			65043									
	Lacquered. Lacado.	-			65043F									
														
	Basic. Básico.	-			66026									
	Lacquered. Lacado.	-			66026F									
														
	Basic. Básico.	-			54062									
	Lacquered. Lacado.	-			54062F									
														
	Basic. Básico.	-			54063									
	Lacquered. Lacado.	-			54063F									
														
	Basic. Básico.	-			54044									
	Lacquered. Lacado.	-			54044F									
														
	Basic. Básico.	-			54045									
	Lacquered. Lacado.	-			54045F									
														

*In our VONDOM Revolution range, we manufacture our products using recycled plastic, from the Mediterranean, extending it's life and enhancing it's real value. Due to the origin of this raw material slight natural imperfections may appear, which gives every piece it's own personality and spirit.

*En las colecciones de VONDOM Revolution trabajamos con plástico reciclado del mar Mediterráneo, alargamos su vida y potenciamos su valor. El origen de esta materia prima puede causar ligeras imperfecciones naturales que dotan a las piezas de una personalidad y espíritu propios.

*In our VONDOM Revolution range, we manufacture our products using recycled plastic, from the Mediterranean, extending it's life and enhancing it's real value. Due to the origin of this raw material slight natural imperfections may appear, which gives every piece it's own personality and spirit.

*En las colecciones de VONDOM Revolution trabajamos con plástico reciclado del mar Mediterráneo, alargamos su vida y potenciamos su valor. El origen de esta materia prima puede causar ligeras imperfecciones naturales que dotan a las piezas de una personalidad y espíritu propios.

				Price per unit Precio unidad	Basic colours Colores básicos	Other Colours Otros colores	Packaging Embalaje					Price per unit Precio unidad	Basic colours Colores básicos	Other Colours Otros colores	Packaging Embalaje					
QUARTZ folding chair.																				
				Basic. Básico.	- 54197	WHITE BLACK ECRU	4 units 18,8 kg 0,16 m³ 41,4 lb 5,75 ft³	47 - 18½" 76 29¼" 39 15¼" 51 - 20¼" 46 18"												
stackable UNE-EN 581-1/2/3 Fire proof UNE EN 1021 IMO A.652 UNI 9175 BS 5852 light exposure ISO 4892-2																				
QUARTZ chair.																				
				Basic. Básico.	- 54194	WHITE BLACK ECRU BRONZE TORTORA	4 units 12 kg 0,32 m³ 26,4 lb 11,5 ft³	48 - 19" 79 31¼" 41 16¼" 52 - 20½" 45 17¾" 42,5 - 16¾"												
stackable 16 max. cushion available pag. 185 Fire proof UNE EN 1021 IMO A.652 UNI 9175 BS 5852 light exposure ISO 4892-2				Lacquered. Lacado.	- 54194F	LACQ. WHITE LACQ. BLACK LACQ. ANTH.														
stackable 8 max. cushion available pag. 185 UNE-EN 581-1/2/3 BIFMA ANSI/BIFMA X5.4 Fire proof UNE EN 1021 IMO A.652 UNI 9175 BS 5852 light exposure ISO 4892-2																				
QUARTZ chair with arms.																				
				Basic. Básico.	- 54195	WHITE BLACK ECRU BRONZE TORTORA	4 units 13,6 kg 0,38 m³ 30 lb 13,46 ft³	57 - 22½" 79 31¼" 41 16¼" 52 - 20½" 65 25½" 45 17¾" 47,5 - 18¾"												
stackable 10 max. cushion available pag. 185 UNE-EN 581-1/2/3 BIFMA ANSI/BIFMA X5.4 Fire proof UNE EN 1021 IMO A.652 UNI 9175 BS 5852 light exposure ISO 4892-2				Lacquered. Lacado.	- 54195F	LACQ. WHITE LACQ. BLACK LACQ. ANTH.														
stackable 10 max. cushion available pag. 185 UNE-EN 581-1/2/3 BIFMA ANSI/BIFMA X5.4 Fire proof UNE EN 1021 IMO A.652 UNI 9175 BS 5852 light exposure ISO 4892-2																				
KIMONO chair.																				
				Basic. Básico.	- 54299	OPAQUE WHITE OPAQUE BLACK CLEAR CRYSTAL CLEAR FUME CLEAR AMBAR	4 units 20 kg 0,53 m³ 44,3 lb 18,71 ft³	56 - 22" 89 35" 43 17" 55 - 21¾" 47 18½" 47 - 18½"												
stackable 6 max. cushion available pag. 185 UNE-EN 581-1/2/3 BIFMA ANSI/BIFMA X5.4 Fire proof UNE EN 1021 IMO A.652 UNI 9175 BS 5852 light exposure ISO 4892-2																				
KES chair.																				
				Basic. Básico.	- 64018	WHITE BLACK ECRU PICKLE GRAY	4 units 21,7 kg 0,32 m³ 47,8 lb 11,2 ft³													
stackable 12 max cushion available pag. 185 UNE-EN 581-1/2/3 BIFMA ANSI/BIFMA X5.4 Fire proof UNE EN 1021 IMO A.652 UNI 9175 BS 5852 light exposure ISO 4892-2				Lacquered. Lacado.	- 64018F	LACQ. WHITE LACQ. BLACK LACQ. ANTH.														
stackable 12 max cushion available pag. 185 UNE-EN 581-1/2/3 BIFMA ANSI/BIFMA X5.4 Fire proof UNE EN 1021 IMO A.652 UNI 9175 BS 5852 light exposure ISO 4892-2																				
KES chair with arms.																				
				Basic. Básico.	- 64017	WHITE BLACK ECRU PICKLE GRAY	4 units 21,9 kg 0,39 m³ 50 lb 14 ft³													
stackable 8 max cushion available pag. 185 UNE-EN 581-1/2/3 BIFMA ANSI/BIFMA X5.4 Fire proof UNE EN 1021 IMO A.652 UNI 9175 BS 5852 light exposure ISO 4892-2				Lacquered. Lacado.	- 64017F	LACQ. WHITE LACQ. BLACK LACQ. ANTH.														
stackable 8 max cushion available pag. 185 UNE-EN 581-1/2/3 BIFMA ANSI/BIFMA X5.4 Fire proof UNE EN 1021 IMO A.652 UNI 9175 BS 5852 light exposure ISO 4892-2																				
SPRITZ chair.																				
				Basic. Básico.	- 56016	WHITE BLACK ECRU MOSTAZA BRONZE	4 units 23 kg 0,34 m³ 51 lb 12 ft³													
stackable 10 max cushion available pag. 185 UNE-EN 581-1/2/3 BIFMA ANSI/BIFMA X5.4 Fire proof UNE EN 1021 IMO A.652 UNI 9175 BS 5852 light exposure ISO 4892-2																				
stackable 10 max cushion available pag. 185 UNE-EN 581-1/2/3 BIFMA ANSI/BIFMA X5.4 Fire proof UNE EN 1021 IMO A.652 UNI 9175 BS 5852 light exposure ISO 4892-2																				
SPRITZ chair with arms.																				
				Basic. Básico.	- 56015	WHITE BLACK ECRU MOSTAZA BRONZE	4 units 26 kg 0,38 m³ 57,7 lb 13,7 ft³													
stackable 8 max cushion available pag. 185 UNE-EN 581-1/2/3 Fire proof UNE EN 1021 IMO A.652 UNI 9175 BS 5852 light exposure ISO 4892-2																				
stackable 8 max cushion available pag. 185 UNE-EN 581-1/2/3 Fire proof UNE EN 1021 IMO A.652 UNI 9175 BS 5852 light exposure ISO 4892-2																				



FAZ WOOD stool.

	Price per unit Precio unidad	Seat colour Color de asiento	Metal Colour Color del metal	Wood Madera	Packaging Embalaje	
Basic. Básico.	- 54301	WHITE BLACK ECRU	WHITE BLACK	WOOD 1 WOOD 2	4 units 31 kg 0,68 m³ 67 lb 24 ft³	53 - 20¾" 52 - 20½" 111 43¾" 28 11" 39 15¼" 72 28¼"
Lacquered. Lacado.	- 54301F	LACQ. WHITE LACQ. BLACK LACQ. ANTH.				
Basic. Básico.	- 54303	WHITE BLACK ECRU	WHITE BLACK	WOOD 1 WOOD 2	4 units 33 kg 0,78 m³ 73 lb 27 ft³	50 - 19¾" 51 - 20" 102 40¼" 19 7½" 39 15¼" 63 24¾"
Lacquered. Lacado.	- 54303F	LACQ. WHITE LACQ. BLACK LACQ. ANTH.				



FAZ WOOD arm-stool.

H.75cm						
Basic. Básico.	- 54302	WHITE BLACK ECRU	WHITE BLACK	WOOD 1 WOOD 2	4 units 29 kg 0,59 m³ 64 lb 21 ft³	57 - 22½" 52 - 20½" 111 43¾" 28 11" 39 15¼" 72 28¼"
Lacquered. Lacado.	- 54302F	LACQ. WHITE LACQ. BLACK LACQ. ANTH.				
H.66cm						
Basic. Básico.	- 54304	WHITE BLACK ECRU	WHITE BLACK	WOOD 1 WOOD 2	4 units 31,5 kg 0,68 m³ 69 lb 24 ft³	57 - 22½" 51 - 20" 102 40¼" 19 7½" 39 15¼" 63 24¾"
Lacquered. Lacado.	- 54304F	LACQ. WHITE LACQ. BLACK LACQ. ANTH.				



BROOKLYN stool.

H.76cm						
Basic. Básico.	- 65027	WHITE BLACK ECRU	LACQ. WHITE LACQ. BLACK	4 units 20 kg 0,34 m³ 43,7 lb 12,3 ft³	45 - 17¾" 76 30" 27 10¾"	
Lacquered. Lacado.	- 65027F	ECRU RED TORTORA PICKLE	LACQ. RED LACQ. ANTH.			
H.66cm						
Basic. Básico.	- 65028	WHITE BLACK ECRU	LACQ. WHITE LACQ. BLACK	4 units 18,7 kg 0,31 m³ 41,3 lb 11 ft³	44 - 17¼" 66 26" 18 7"	
Lacquered. Lacado.	- 65028F	RED TORTORA PICKLE	LACQ. RED LACQ. ANTH.			

stackable
7 max

UNE-EN
581-1/2/3

BIFMA
ANSI/BIFMA
X5.4

Fire proof
UNE EN 1021
IMO A.652
UNI 9175
BS 5852

light exposure
ISO 4892-2



SPRITZ stool.

	Price per unit Precio unidad	Basic colours Colores básicos	Other Colours Otros colores	Packaging Embalaje	
H.75cm Basic. Básico.	- 56019	WHITE BLACK ECRU MOSTAZA BRONZE		4 units 25 kg 0,34 m³ 55,7 lb 12,24 ft³	50 - 19¾" 46 - 18¼" 97 38¼" 30 11¾" 76 30"
Pack 2 Stools + Table. Pack 2 taburetes + mesa. (2x 56019 + 1x 56018)	- 56022				38 15" 37,5 - 14¾"
H.66cm Basic. Básico.	- 56020	WHITE BLACK ECRU MOSTAZA BRONZE		4 units 24,5 kg 0,31 m³ 54 lb 11,14 ft³	50 - 19¾" 46 - 18¼" 87 34¼" 21 8¼" 66 26"
Pack 2 Stools + Table. Pack 2 taburetes + mesa. (2x 56020 + 1x 56018)	- 56021				38 15" 37,5 - 14¾"

stackable
9 max

cushion
available
pag. 185

UNE-EN
581-1/2/3

BIFMA
ANSI/BIFMA
X5.4

Fire proof
UNE EN 1021
IMO A.652
UNI 9175
BS 5852

light exposure
ISO 4892-2

SUN LOUNGERS

TUMBONAS



SPRITZ sun lounger.

Basic. Básico. (Price/unit in 12 units package)	- 56027	WHITE GREY ECRU BRONZE	12 units 222 kg - 3 m3 488 lb - 103 ft3	195 - 76¾" 36 14¼"
Basic. Básico. (Price/unit in 4 units package)	- 56027		4 units 82,3 kg - 1,2 m3 181 lb - 42 ft3	52 20½" 67 26¼"

stackable

cushion
available
pag. 185

UNE-EN
581-1/2/3

BIFMA
ANSI/BIFMA
X5.4

Fire proof
UNE EN 1021
IMO A.652
UNI 9175
BS 5852

light exposure
ISO 4892-2

SPRITZ sun lounge table.

	Price per unit	WHITE BLACK ECRU BRONZE MOSTAZA	Packaging	Stackable	45 - 17¼" 45 - 17¼" 28 29½"
	Precio unidad				
	- 55026		4 units 11,6 kg 0,04 m³ 25,5 lb 1,47 ft³		

SPRITZ sun lounge table.

	Price per unit	WHITE BLACK ECRU BRONZE MOSTAZA	Packaging	Stackable	59 - 23¼" 59 - 23¼" 28 29½"
	Precio unidad				
	- 55025		4 units 20,4 kg 0,08 m³ 44,8 lb 2,9 ft³		

SPRITZ coffee table.

	Price per unit	WHITE BLACK ECRU BRONZE MOSTAZA	Packaging	Stackable	59 - 23¼" 59 - 23¼" 40 15¾"
	Precio unidad				
	- 56028		4 units 21,2 kg 0,08 m³ 46,6 lb 2,9 ft³		

SPRITZ coffee table.







	Price per unit	WHITE BLACK ECRU BRONZE MOSTAZA	Packaging	Stackable	96 - 37¼" 59 - 23¼" 40 15¾"
	Precio unidad				
	- 56029		4 units 36,3 kg 0,13 m³ 80 lb 4,5 ft³		

SPRITZ bar table.



	Price per unit	WHITE BLACK ECRU BRONZE MOSTAZA	Packaging	Stackable	50 - 19¼" 50 - 19¼" 100 39¼"
	Precio unidad				
	- 56030		1 units 10,6 kg 0,28 m³ 23,5 lb 9,8 ft³		

QUARTZ MESA. Table. Table. Tisch. Tavolo.



	Leg's colors - Color de estructura		Table Top finishes - Acabado de tablero			Ø59 Ø23¼"
	WHITE	ECRU	HPL Black edge HPL Borde negro	HPL Solid Core		
	-	-	56026	56018		
	-	-	54198	54198B		Ø69 Ø27¼"
	-	-	54199	54199B		Ø79 Ø31"
	-	-	54200	54200B		Ø79 Ø31"
	-	-	54218	54218B		Ø90 Ø35½"
	-	-	54201	54201B		Ø100 Ø39¼"
	-	-	54202	54202B		59 23¼"
	-	-	54203	54203B		69 27¼"
	-	-	54204	54204B		79 31"
	-	-				72 28¼"
	-	-				73 28¾"

Leg's colors - Color de estructura					
Table Top finishes - Acabado de tablero					
HPL Black edge HPL Borde negro		HPL Solid Core		DEKTON® Table top Sobre DEKTON®	
	60x60x74 cm 23½"x23½"x29¼" HPL 12 kg 0,06 m³ - 26 lb 2,12 ft³	- 54205	- 54205B	- 54230F	
	70x70x74 cm 27½"x27½"x29¼" HPL 14 kg 0,08 m³ - 31 lb 2,83 ft³	- 54230FB	- 54230FM	- 54231F	
	80x80x74 cm 31½"x31½"x29¼" HPL 17 kg 0,10 m³ - 37 lb 3,53 ft³	- 54231FB	- 54231FM	- 54232F	
	90x90x74 cm 35½"x35½"x29¼" HPL 20 kg 0,13 m³ - 43 lb 4,59 ft³	- 54232FB	- 54232FM	- 54233F	
	100x100x74 cm 39¼"x39¼"x29¼" HPL 23 kg 0,16 m³ - 50 lb 5,65 ft³	- 54233FB	- 54233FM	- 54234F	
	120x120x74 cm 47¼"x47¼"x29¼" HPL 30 kg 0,23 m³ - 67 lb 8,12 ft³	- 54234FB	- 54234FM	- 54235F	






FRAME ALUMINIUM high table.

	140x60x105 cm 55"x23½"x41¼" HPL 22 kg 0,14 m³ - 48 lb 4,95 ft³	- 54235FB	- 54235FM	- 54243F	
	200x60x105 cm 78¾"x23½"x41¼" HPL 29 kg 0,20 m³ - 62 lb 7,06 ft³	- 54243FB	- 54243FM	- 54244F	

FRAME ALUMINIUM coffee table.

	100x100x32 cm 39¼"x39¼"x12½" HPL 21 kg 0,17 m³ - 45 lb 6 ft³	- 54244FB	- 54244FM	- 54245F	
	160x100x32 cm 63"x39¼"x12½" HPL 31 kg 0,26 m³ - 68 lb 9,18 ft³	- 54245FB	- 54245FM	- 54246F	

FRAME ALUMINIUM lounge table.

	160x80x74 cm 63"x31½"x29¼" HPL 28 kg 0,21 m³ - 62 lb 7 ft³	- 54246FB	- 54246FM	- 54236F	
	160x90x74 cm 63"x35½"x29¼" HPL 30 kg 0,23 m³ - 66 lb 8,12 ft³	- 54236FB	- 54236FM	- 54238F	
	160x100x74 cm 63"x39¼"x29¼" HPL 33 kg 0,26 m³ - 71 lb 9,18 ft³	- 54238FB	- 54238FM	- 54240F	
	180x80x74 cm 70¾"x31½"x29¼" HPL 31 kg 0,23 m³ - 67 lb 8,12 ft³	- 54240FB	- 54240FM	- 54237F	
	200x90x74 cm 78¾"x35½"x29¼" HPL 36 kg 0,3 m³ - 80 lb 10,6 ft³	- 54237FB	- 54237FM	- 54239F	
	200x100x74 cm 78¾"x39¼"x29¼" HPL 40 kg 0,33 m³ - 86 lb 11,7 ft³	- 54239FB	- 54239FM	- 54241F	
	250x100x74 cm 98½"x39¼"x29¼" HPL 0,4 m³ - 12,2 ft³	- 54241FB	- 54241FM	-	
	300x120x74 cm 118"x47¼"x29¼" HPL 69 kg 0,6 m³ - 150 lb 21,2 ft³	- 54247F	- 54247FB	-	

WOOD 1

WOOD 2

WHITE

BLACK

ECRU

Leg's colors - Color de estructura

HPL Black edge
HPL Borde negro

HPL Solid Core

DEKTON® Table top
Sobre DEKTON®

Table Top finishes - Acabado de tablero

FAZ WOOD dining table.

60x60x74 cm

23½"x23½"x29¼"

4u. HPL 44kg 0,67m³ - 97lb 23,7ft³

70x70x74 cm

27½"x27½"x29¼"

4u. HPL 52kg 0,68m³ - 114lb 24ft³

80x80x74 cm

31½"x31½"x29¼"

4u. HPL 60kg 0,69m³ - 133lb 24,5ft³

60cm - 23½"

74
29¼"

70cm - 27½"

74
29¼"

80cm - 31½"

74
29¼"

WOOD 1

WOOD 2

WHITE

BLACK

ECRU

Leg's colors - Color de estructura

HPL Black edge
HPL Borde negro

HPL Solid Core

DEKTON® Table top
Sobre DEKTON®

Table Top finishes - Acabado de tablero

FAZ WOOD high table.

50x50x105 cm

19¾"x19¾"x41¼"

4u. HPL 43kg 0,72m³ - 95lb 25,5ft³

60x60x105 cm

23½"x23½"x41¼"

4u. HPL 49kg 0,72m³ - 108lb 25,5ft³

Ø50x105 cm

Ø19¾"x41¼"

4u. HPL 40kg 0,72m³ - 89lb 25,5ft³

Ø60x105 cm

Ø23½"x41¼"

4u. HPL 45kg 0,72m³ - 99lb 25,5ft³

50cm 19¼"

105
41¼"

60cm 23½"

105
41¼"

Ø50cm - Ø19¼"

105
41¼"

Ø60cm - Ø23½"

105
41¼"

FAZ WOOD lounge table.

Ø60x74 cm

Ø23½"x29¼"

4u. HPL 40kg 0,67m³ - 88lb 23,7ft³

Ø70x74 cm

Ø27½"x29¼"

4u. HPL 46kg 0,68m³ - 101lb 24ft³

Ø80x74 cm

Ø31½"x29¼"

4u. HPL 53kg 0,69m³ - 116lb 24,5ft³

Ø60cm - Ø23½"

74
29¼"

Ø70cm - Ø27½"

74
29¼"

Ø80cm - Ø31½"

74
29¼"

FAZ WOOD lounge table.

90x90x74 cm

35½"x35½"x29¼"

1u. HPL 27kg 0,18m³ - 60lb 6,5ft³

100x100x74 cm

39¼"x39¼"x29¼"

1u. HPL 31kg 0,22m³ - 68lb 7,8ft³

Ø120x74 cm

Ø47¼"x29¼"

1u. HPL 35kg 0,31m³ - 77lb 10,9ft³

Ø140x74 cm

Ø55"x29¼"

1u. HPL 41kg 0,41m³ - 89lb 14,5ft³

200x90x74 cm

78¾"x35½"x29¼"

1u. HPL 47kg 0,38m³ - 103lb 13,4ft³

200x100x74 cm

78¾"x39¼"x29¼"

1u. HPL 50kg 0,41m³ - 110lb 14,6ft³

90cm - 35½"

74
29¼"

100cm - 39¼"

74
29¼"

Ø120cm - 19¼"

74
29¼"

Ø140cm - 19¼"

74
29¼"

166



167

	Ø96,5x50 cm Ø37½"x19½" 4 ud - 29,6 kg 0,34 m³ - 65,30 lb 12 ft³	- 54140 -	- 54140V	Ø100 cm Ø39¼" 100 x 100 cm 39¼" x 39¼" Ø120 cm Ø47¼"	50 19½" Ø96,5 - Ø38"
--	--	--------------------------------	------------------------	---	---




	Ø96,5x73 cm Ø37¼"x28¾"	-	-	-	Ø100 cm Ø39¼"	100 x 100 cm 39¼" x 39¼"	73 28¾"	
	4 ud - 30,8 kg 0,34 m³ - 67,88 lb 12 ft³	54141	54141V		Ø120 cm Ø47¼"			

	138x59 cm 54¼" x 23¼" 1 ud - 13 kg - 0,12 m³ - 28,72 lb 4,23 ft³	- 54166 - -		158 x 79 cm 62¼" x 31"	73 28¾"	
	138 x 59 - 54¼" x 23¼"					

	Ø80x105 cm 54127T	-	-	-	69 x 69 cm 27¼" x 27¼"	105 41¼"
	Ø31½"x41¼" 4 ud - 26,1 kg 0,31 m³ - 17,47 lb 10,9 ft³					Ø80 - Ø31½"

FAZ Table Tops		tipo de canto - edge's type					
		HPL Borde negro HPL Black edge	HPL Solid Core	HPL Borde negro HPL Black edge	HPL Solid Core	Vidrio templado Tempered Glass	Sobre DEKTON®* DEKTON® Table Top*
	Ø50 cm - Ø19¼" 2 ud - 5,6 kg 0,02 m³ - 12,3 lb 0,58 ft³	54142	54142V	66100	66100B	66029	66029B
	Ø59 cm - Ø23½" 2 ud - 7,8 kg 0,02 m³ - 17,2 lb 0,58 ft³	66027G	66100M	66101	66101B	66023	66023B
	Ø69 cm - Ø27¼" 2 ud - 10,6 kg - 0,22 m³ - 23,3 lb 0,77 ft³	54146G	66101M	66102	66102B	66025	66025B
	Ø79 cm - Ø31" 2 ud - 13,8 kg 0,03 m³ - 23,3 lb 1 ft³	54147G	66102M	66103	66103B	65022	65022B
	Ø89 cm - Ø35" 2 ud - 17,6 kg - 0,04 m³ -38,8 lb 1,25 ft³	54156G	66103M	66104	66104B	65024	65024B
	Ø100 cm - Ø39¼" 2 ud - 22,2 kg - 0,04 m³ -48,9 lb 1,5 ft³	54157G	66104M	66105	66105B	65026	65026B
	Ø120 cm - Ø47¼" 2 ud - 37,4 kg 0,07 m³ - 82,4 lb 1,9 ft³	54158G	66105M	66113	66113B	—	66030
	50x50 cm - 19¼"x19¼" 2 ud - 7 kg 0,02 m³ - 15,4 lb 0,58 ft³	66030B	66113M	66106	66106B	66031	66031B
	59x59 cm - 23¼"x23¼" 2 ud - 9,8 kg 0,02 m³ - 21,6 lb 0,58 ft³	66028G	66106M	66107	66107B	66024	66024B
	69x69 cm - 27¼"x27¼" 2 ud -13,4 kg -0,02 m³ -61,59 lb 0,77 ft³	54148G	66107M	66108	66108B	65021	65021B
	79x79 cm - 31"x31" 2 ud - 17,6 kg - 0,03 m³ - 77,6 lb 1 ft	54159G	66108M	66109	66109B	65023	65023B
	89x89 cm - 35"x35" 2 ud - 22,4 kg - 0,03 m³ -98,7 lb 1,25 ft³	54160G	66109M	66110	66110B	65025	65025B
	100x100 cm - 39¼" x 39¼" 2 ud - 28,2 kg 0,04 m³ - 62,1 lb 1,5 ft³	54161G	66110M	66114	66114B	66032	66032B
	119x69 cm - 46¾"x27¼" 2 ud - 11,5 kg 0,02 m³ - 25,5 lb 0,35 ft³	66114G	66114M	66112	66112B	—	66033
	158x79cm - 62¼" x 31" 2 ud - 17,6 kg 0,02 m³ - 38,7 lb 0,35 ft³	66033B	66112M	66116	66116B	—	66034
*Dekton's table tops are not available for collapsable table bases. *Los tableros Dekton no están disponibles para piés de mesa abatibles.							


HPL SOLID CORE FINISHES

				
White Solid Core (10 & 12mm)	Castoro Fiber 7006 Solid Core (10mm)	Traffic Gray 7008 Solid Core (10mm)	Modo Green 7003 Solid Core (10mm)	Notte Blue 7001 Solid Core (10mm)
				
Crema 7007 Solid Core (10mm)	Piombo Gray 7005 Solid Core (10mm)	British Gray 7009 Solid Core (10mm)	Cacao 7004 Solid Core (10mm)	Purjai Red 7002 Solid Core (10mm)
				
Marmo Gioia 7101 Solid Core (10mm)	Yule Brown 7105 Solid Core (10mm)	Pulpis Gray 7104 Solid Core (10mm)	Yule Gray 7102 Solid Core (10mm)	Kandia Black 7103 Solid Core (10mm)

HPL BLACK-EDGE FINISHES

		
Black Black-edge (10 & 12mm)	White Black-edge (10 & 12mm)	Ecru Black-edge (10 & 12mm)

DEKTON CERAMIC SURFACES

		
Entzo Dekton (12mm)	Danae Dekton (12mm)	Kelya Dekton (12mm)

GLASS SURFACES


Glass (10mm)

HPL EDGES





A 10mm HPL









B 10mm HPL



C 10mm HPL

	Fijo Fixed	Abatible Collapsible top	Fijo para vidrio Fixed for glass	Tableros disponibles Available table tops		
MARI-SOL Low Table 3P 	 Ø62x50 cm - Ø24½"x19¾" 4 ud - 17,1 kg 0,22 m³ - 37,75 lb 7,84 ft³	- 66034B	- 66116M	- 65009	● Ø50 cm Ø19¼" ● Ø59 cm Ø23¼" ● Ø69 cm Ø27¼" ■ 50 x 50 cm 19¼" x 19¼" ■ 59 x 59 cm 23¼" x 23¼" 50 19¾"  Ø62 - Ø24½"	
MARI-SOL Low Table 4P 	 Ø80x50 cm - Ø31½"x19¾" 4 ud - 22,4 kg 0,23 m³ - 49,52 lb 8,34 ft³	- 65009T	-	- 65009V	● Ø79 cm Ø31" ● Ø89 cm Ø37" ● Ø100 cm Ø39¼" ■ 69 x 69 cm 27¼" x 27¼" ■ 79 x 79 cm 31" x 31" ■ 89 x 89 cm 37" x 37" 50 19¾"  Ø80 - Ø31½"	
MARI-SOL Low Table 4P+	 Ø96,5x50 cm - Ø37¾"x19¾" 4 ud - 29,6 kg 0,57 m³ - 65,30 lb 20,31 ft³	- 65015	-	- 65015V	● Ø100 cm Ø39¼" ● Ø120 cm Ø47¼" ■ 100 x 100 cm 39¼" x 39¼" 50 19¾"  Ø96.5 - Ø38"	

MARI-SOL Dining Table 3P 	 Ø62x73 cm - Ø24½"x28¾" 4 ud - 18,7 kg 0,22 m³ - 41,34 lb 7,84 ft³	- 65033	- 65033V	- 65010	● Ø50 cm Ø19¼" ● Ø59 cm Ø23¼" ● Ø69 cm Ø27¼" ■ 50 x 50 cm 19¼" x 19¼" ■ 59 x 59 cm 23¼" x 23¼" 73 28¾"  Ø62 - Ø24½"	
MARI-SOL Dining Table 4P	 Ø80x73 cm - Ø31½"x28¾" 4 ud - 24,2 kg 0,23 m³ - 53,46 lb 8,34 ft³	- 65010T	-	- 65010V	● Ø79 cm Ø31" ● Ø89 cm Ø37" ● Ø100 cm Ø39¼" ■ 69 x 69 cm 27¼" x 27¼" ■ 79 x 79 cm 31" x 31" ■ 89 x 89 cm 37" x 37" 73 28¾"  Ø80 - Ø31½"	
MARI-SOL Dining Table 4P+	 Ø96,5x73 cm - Ø37¾"x28¾" 4 ud - 30,8 kg 0,57 m³ - 67,88 lb 20,31 ft³	- 65016	-	- 65016V	● Ø100 cm Ø39¼" ● Ø120 cm Ø47¼" ■ 100 x 100 cm 39¼" x 39¼" 73 28¾"  Ø96.5 - Ø38"	

	Fijo Fixed	Abatible Collapsible top	Fijo para vidrio Fixed for glass	Tableros disponibles Available table tops		
MARI-SOL Dining Table double 3P 	 112x58 cm - 44½"x22¾" 1 ud - 9,6 kg 0,11 m³ - 21,18 lb 4,14 ft³	- 65035	- 65035V	-	■ 119 x 69 cm 46¾" x 27¼" 73 28¾"  112 x 58 - 44" x 22¾"	
MARI-SOL Dining Table double 4P	 138x59 cm - 54¼"x23¼" 1 ud - 13 kg 0,17 m³ - 28,54 lb 6,16 ft³	- 65031	-	-	■ 158 x 79 cm 62¼" x 31" 73 28¾"  138 x 59 - 54¼" x 23¼"	
MARI-SOL High Table 3P 	 Ø62x105 cm - Ø24½"x41¼" 4 ud - 21,6 kg 0,22 m³ - 47,62 lb 7,84 ft³	- 65031T	- 65032	- 65011	● Ø50 cm Ø19¼" ● Ø59 cm Ø23¼" ■ 50 x 50 cm 19¼" x 19¼" ■ 59 x 59 cm 23¼" x 23¼" 105 41¼"  Ø62 - Ø24½"	
MARI-SOL High Table 4P	 Ø80x105 cm - Ø31½"x41¼" 4 ud - 26,9 kg 0,23 m³ - 59,38 lb 8,34 ft³	- 65011T	-	- 65011V	■ 69 x 69 cm 27¼" x 27¼" 105 41¼"  Ø80 - Ø31½"	

MARI-SOL Table Tops		tipo de canto - edge's type					
		HPL Borde negro HPL Black edge	HPL Solid Core	HPL Borde negro HPL Black edge	HPL Solid Core	Vidrio templado Tempered Glass	Sobre DEKTON®* DEKTON® Table Top*
	Ø50 cm - Ø19¼" 2 ud - 5,6 kg 0,02 m³ - 12,3 lb 0,58 ft³	65020	65020V	66100	66100B	66029	66029B
	Ø59 cm - Ø23½" 2 ud - 7,8 kg 0,02 m³ - 17,2 lb 0,58 ft³	66027G	66100M	66101	66101B	66023	66023B
	Ø69 cm - Ø27¼" 2 ud - 10,6 kg - 0,22 m³ - 23,3 lb 0,77 ft³	65012G	66101M	66102	66102B	66025	66025B
	Ø79 cm - Ø31" 2 ud - 13,8 kg 0,03 m³ - 23,3 lb 1 ft³	65014G	66102M	66103	66103B	65022	65022B
	Ø89 cm - Ø35" 2 ud - 17,6 kg - 0,04 m³ -38,8 lb 1,25 ft³	65022G	66103M	66104	66104B	65024	65024B
	Ø100 cm - Ø39¼" 2 ud - 22,2 kg - 0,04 m³ -48,9 lb 1,5 ft³	65024G	66104M	66105	66105B	65026	65026B
	Ø120 cm - Ø47¼" 2 ud - 37,4 kg 0,07 m³ - 82,4 lb 1,9 ft³	65026G	66105M	66113	66113B	—	66030
	50x50 cm - 19¼"x19¼" 2 ud - 7 kg 0,02 m³ - 15,4 lb 0,58 ft³	66030B	66113M	66106	66106B	66031	66031B
	59x59 cm - 23¼"x23¼" 2 ud - 9,8 kg 0,02 m³ - 21,6 lb 0,58 ft³	66028G	66106M	66107	66107B	66024	66024B
	69x69 cm - 27¼"x27¼" 2 ud -13,4 kg -0,02 m³ -61,59 lb 0,77 ft³	65013G	66107M	66108	66108B	65021	65021B
	79x79 cm - 31"x31" 2 ud - 17,6 kg - 0,03 m³ - 77,6 lb 1 ft	65021G	66108M	66109	66109B	65023	65023B
	89x89 cm - 35"x35" 2 ud - 22,4 kg - 0,03 m³ -98,7 lb 1,25 ft³	65023G	66109M	66110	66110B	65025	65025B
	100x100 cm - 39¼" x 39¼" 2 ud - 28,2 kg 0,04 m³ - 62,1 lb 1,5 ft³	65025G	66110M	66114	66114B	66032	66032B
	119x69 cm - 46¾"x27¼" 2 ud - 11,5 kg 0,02 m³ - 25,5 lb 0,35 ft³	66114G	66114M	66112	66112B	—	66033
	158x79cm - 62¼" x 31" 2 ud - 17,6 kg 0,02 m³ - 38,7 lb 0,35 ft³	66033B	66112M	66116	66116B	—	66034
*Dekton's table tops are not available for collapsable table bases. *Los tableros Dekton no están disponibles para piés de mesa abatibles.							

HPL SOLID CORE FINISHES

White Solid Core (10 & 12mm)	Castoro Fiber 7006 Solid Core (10mm)	Traffic Gray 7008 Solid Core (10mm)	Modo Green 7003 Solid Core (10mm)	Notte Blue 7001 Solid Core (10mm)
Crema 7007 Solid Core (10mm)	Piombo Gray 7005 Solid Core (10mm)	British Gray 7009 Solid Core (10mm)	Cacao 7004 Solid Core (10mm)	Purjai Red 7002 Solid Core (10mm)
Marmo Gioia 7101 Solid Core (10mm)	Yule Brown 7105 Solid Core (10mm)	Pulpis Gray 7104 Solid Core (10mm)	Yule Gray 7102 Solid Core (10mm)	Kandia Black 7103 Solid Core (10mm)

HPL BLACK-EDGE FINISHES

Black Black-edge (10 & 12mm)	White Black-edge (10 & 12mm)	Ecru Black-edge (10 & 12mm)

DEKTON CERAMIC SURFACES





Entzo Dekton (12mm)	Danae Dekton (12mm)	Kelya Dekton (12mm)

GLASS SURFACES

Glass (10mm)

HPL EDGES

A 10mm HPL
B 10mm HPL
C 10mm HPL

		Fixed Fijo	Collapsible top Abatible	Fixed for glass Fijo para vidrio	Available table tops Tableros disponibles				
	DELTA table base h: 50 cm	 4 ud - 16,4 kg 0,11 m³ - 36,28 lb 4,06 ft³	-	-	-	 Ø50 cm Ø19¼"	 50 x 50 cm 19¼" x 19¼"	 50 19¾"	 Ø62 - Ø24½"
						 Ø59 cm Ø23¼"	 59 x 59 cm 23¼" x 23¼"		
						 Ø69 cm Ø27¼"			
	DELTA table base h: 73 cm	 4 ud - 16,6 kg 0,13 m³ - 10,97 lb 4,56 ft³	-	-	-	 Ø50 cm Ø19¼"	 50 x 50 cm 19¼" x 19¼"	 73 28¾"	 Ø62 - Ø24½"
						 Ø59 cm Ø23¼"	 59 x 59 cm 23¼" x 23¼"		
						 Ø69 cm Ø27¼"			
	DELTA table base h: 105 cm	 4 ud - 20,3 kg 0,11 m³ - 15,51 lb 4,06 ft³	-	-	-	 Ø50 cm Ø19¼"	 50 x 50 cm 19¼" x 19¼"	 105 41¼"	 Ø62 - Ø24½"
						 Ø59 cm Ø23¼"	 59 x 59 cm 23¼" x 23¼"		
tipo de canto - edge's type									
		10mm 0,39"		12mm 0,47"		10mm 0,39"		12mm 0,47"	
HPL Borde negro HPL Black edge		HPL Solid Core		HPL Borde negro HPL Black edge		HPL Solid Core		Vidrio templado Tempered Glass	
								Sobre DEKTON®* DEKTON® Table Top*	
	Ø50 cm - Ø19¼"  2 ud - 5,6 kg 0,01 m³ - 12,3 lb 0,35 ft³	-	-	-	-	-	-	-	-
	Ø59 cm - Ø23½"  2 ud - 7,8 kg 0,01 m³ - 17,2 lb 0,35 ft³	-	-	-	-	-	-	-	-
	Ø69 cm - Ø27¼"  2 ud - 10,6 kg - 0,02 m³ - 23,3 lb 0,70 ft³	-	-	-	-	-	-	-	-
	50x50 cm - 19¼"x19¼"  2 ud - 7 kg 0,01 m³ - 15,4 lb 0,35 ft³	-	-	-	-	-	-	-	-
	59x59 cm - 23¼"x23¼"  2 ud - 9,8 kg 0,01 m³ - 21,6 lb 0,35 ft³	-	-	-	-	-	-	-	-

*Dekton's table tops are not available for collapsable table bases.

*Los tableros Dekton no están disponibles para pies de mesa abatibles.

FIESTA 120cm counter with working area.



54148G

20 - 7¾"

110 - 43¼"

120 - 47¼"

84
33"

25
9¾"

94
37"

80
31½"

115
45¼"

66107M

56023

56023F

56023W

56023L

56023Y

Opcional. Optional.

Set 2 Estantes HPL.
2-HPL Flat Shelf Set.

-
56023D

Cubre Barra Inox.
Counter Top - Stainless Steel.

-
56023DY

Set 8 ruedas ø40 mm con bloqueo.
8-wheel set with lock.

-
56023E

Bluetooth Sound System Pack 200W

-
56023X

FIESTA 180cm counter.



56001B

54099

56001

56001F

56001W

56001L

56001Y

20 - 7¾"

155 - 61"

180 - 70¾"

103
40½"

60
23½"

115
45¼"

Opcional. Optional.

Set 2 Estantes HPL.
2-HPL Flat Shelf Set.

-
56001D

Cubre Barra Inox.
Counter Top - Stainless Steel.

-
56001DY

Set 8 ruedas ø40 mm con bloqueo.
8-wheel set with lock.

-
56001E

Bluetooth Sound System Pack 200W

-
56001X

FIESTA curved counter.



56001B

54099

56002

56002F

56002W

56002L

56002Y

20-7¾"

160 - 63"

103
40½"

60
23½"

115
45¼"

Opcional. Optional.

Set 2 Estantes HPL.
2-HPL Flat Shelf Set.

-
56002D

Cubre Barra Inox.
Counter Top - Stainless Steel.

-
56002DY


Set 8 ruedas ø40 mm con bloqueo.
8-wheel set with lock.

-
56002E

Bluetooth Sound System Pack 200W


-
56002X

SETTING EXAMPLES - EJEMPLOS DE CONFIGURACIÓN



Ø320 - Ø126"


4 x 56002 Barra curva - Curved counter



500- 196¾"

320
126"


2 x 56001 180 Barra - 180 Counter
4 x 56002 Barra curva - Curved counter



440 - 173¾"

320
126"


2 x 56023 120 Barra - 120 Counter
4 x 56002 Barra curva - Curved counter



440 - 173¾"

440
173¾"

4 x 56023 120 Barra - 120 Counter
4 x 56002 Barra curva - Curved counter



500 - 196¾"

500
196¾"

4 x 56001 180 Barra - 180 Counter
4 x 56002 Barra curva - Curved counter


178

179

		LED	LED RGBW		LED RGBW DMX*	
Básico / Basic	Lacado / Lacquered	Blanco / White	Cable / Cable	Batería / Battery	Cable / Cable	Batería / Battery

FAZ center counter

-	-	-	-	-	-	-
56001B	54099	54113	54113F	54113W	54113L	54113Y




54 kg 2,32 m³ - 119,10 lb 82,06 ft³

Opcional. Optional.	
Set 2 Estantes HPL. 2-HPL Flat Shelf Set.	- 54113D
Cubre Barra Inox. Counter Top - Stainless Steel.	- 54113DY
Set 8 ruedas ø40 mm con bloqueo. 8-wheel set with lock.	- 54113E
Bluetooth Sound System Pack 200W	- 54113X

		LED	LED RGBW		LED RGBW DMX*	
Básico / Basic	Lacado / Lacquered	Blanco / White	Cable / Cable	Batería / Battery	Cable / Cable	Batería / Battery

FAZ center counter with ice bucket

-	-	-	-	-	-	-
56001B	54099	54114	54114F	54114W	54114L	54114Y




55 kg 2,32 m³ - 119,10 lb 82,06 ft³

Opcional. Optional.	
Set 2 Estantes HPL. 2-HPL Flat Shelf Set.	- 54114D
Cubre Barra Inox. Counter Top - Stainless Steel.	- 54114DY
Set 8 ruedas ø40 mm con bloqueo. 8-wheel set with lock.	- 54113E
Bluetooth Sound System Pack 200W	- 54114X

FAZ side counter

-	-	-	-	-	-	-
56001B	54099	54111	54111F	54111W	54111L	54111Y




46 kg 1,58 m³ - 101,41 lb 55,62 ft³

Opcional. Optional.	
Set 2 Estantes HPL. 2-HPL Flat Shelf Set.	- 54111D
Cubre Barra Inox. Counter Top - Stainless Steel.	- 54111DY
Set 8 ruedas ø40 mm con bloqueo. 8-wheel set with lock.	- 54111E
Bluetooth Sound System Pack 200W	- 54111X

FAZ corner counter


-	-	-	-	-	-	-
56001B	54099	54112	54112F	54112W	54112L	54112Y




46,5 kg 2,56 m³ - 102,33 lb 90,45 ft³

Opcional. Optional.	
Set 2 Estantes HPL. 2-HPL Flat Shelf Set.	- 54112D
Cubre Barra Inox. Counter Top - Stainless Steel.	- 54112DY
Set 8 ruedas ø40 mm con bloqueo. 8-wheel set with lock.	- 54112E
Bluetooth Sound System Pack 200W	- 54112X


SETTING EXAMPLES - EJEMPLOS DE CONFIGURACIÓN



- 1 x 541113 Barra Central Counter Bar
- 1 x 541114 Barra Central Cubitera Counter Ice Bucket
- 1 x 541112 Barra Esquina Corner Bar
- 1 x 541111 Barra Lateral Single Bar



- 2 x 541113 Barra Central Counter Bar
- 1 x 541114 Barra Central Cubitera Counter Ice Bucket
- 3 x 541112 Barra Esquina Corner Bar
- 1 x 541111 Barra Lateral Single Bar




- 4 x 541113 Barra Central Counter Bar
- 2 x 541114 Barra Central Cubitera Counter Ice Bucket
- 4 x 541112 Barra Esquina Corner Bar

		LED	LED RGBW		LED RGBW DMX*	
Básico / Basic	Lacado / Lacquered	Blanco / White	Cable / Cable	Batería / Battery	Cable / Cable	Batería / Battery

VELA double counter.



56001B	54099	54082	54082F	54082W	54082L	54082Y
--------	-------	-------	--------	--------	--------	--------




Opcional. Optional.	
Set 2 Estantes HPL. 2-HPL Flat Shelf Set.	- 54082D
Cubre Barra Inox. Counter Top - Stainless Steel.	- 54082DY
Set 8 ruedas ø40 mm con bloqueo. 8-wheel set with lock.	- 54082E
Bluetooth Sound System Pack 200W	- 54082X

		LED	LED RGBW		LED RGBW DMX*	
Básico / Basic	Lacado / Lacquered	Blanco / White	Cable / Cable	Batería / Battery	Cable / Cable	Batería / Battery

VELA catering counter.



54084	54084F	54103	54103F	54103W	54103L	54103Y
-------	--------	-------	--------	--------	--------	--------




Opcional. Optional.	
Set 2 Estantes HPL. 2-HPL Flat Shelf Set.	- 54103D
Cubre Barra Inox. Counter Top - Stainless Steel.	- 54103DY
Set 8 ruedas ø40 mm con bloqueo. 8-wheel set with lock.	- 54103E
Bluetooth Sound System Pack 200W	- 54103X

VELA single counter



56001B	54099	54081	54081F	54081W	54081L	54081Y
--------	-------	-------	--------	--------	--------	--------




Opcional. Optional.	
Set 2 Estantes HPL. 2-HPL Flat Shelf Set.	- 54081D
Cubre Barra Inox. Counter Top - Stainless Steel.	- 54081DY
Set 8 ruedas ø40 mm con bloqueo. 8-wheel set with lock.	- 54081E
Bluetooth Sound System Pack 200W	- 54081X

VELA catering counter with ice bucket.



56001B	54099	54109	54109F	54109W	54109L	54109Y
--------	-------	-------	--------	--------	--------	--------




Opcional. Optional.	
Set 2 Estantes HPL. 2-HPL Flat Shelf Set.	- 54109D
Cubre Barra Inox. Counter Top - Stainless Steel.	- 54109DY
Set 8 ruedas ø40 mm con bloqueo. 8-wheel set with lock.	- 54103E
Bluetooth Sound System Pack 200W	- 54109X

VELA counter's door with hinge.



56001B	54099
--------	-------

15 kg 0,50 m³ - 32,96 lb 17,57 ft³



MARQUIS table lamp.



	LED White Bateria / Battery	LED RGBW Bateria / Battery	LED RGBW DMX Bateria / Battery	WHITE BLANC AMBAR
Europe plug	56001B	54099	47093WY	
USA plug	47094WY	47094Y	47094DY	
Europe plug	47093Y	-	-	
USA plug	47094WY	-	-	



22,5
8¾"

9 - 3½"



GATSBY CYLINDER. Table lamp.



Europe plug	47093DY	47093WY	54253WY	
USA plug	54291WY	54291Y	54291DY	
Europe plug	54253Y	-	-	
USA plug	54291WY	-	-	



24,6
9¾"

Ø8,5 - 3¼"



GATSBY PRISMA. Table lamp.



Europe plug	54253DY	54253WY	54252WY	
USA plug	54290WY	54290Y	54290DY	
Europe plug	54252Y	-	-	
USA plug	54290WY	-	-	



24,6
9¾"

8 - 3¼"



rechargeable



12 hours of battery *



5 colors of light *



3 light intensities



tactile switch



wireless DMX system *



The Table Lamps are preset with a DMX adress.
(Channels 13 / 14 / 15 / 16)
If you want to create zones and control them separately you must
communicate this before confirming the order.
DMX Transmitter Required (not included).

Las lámparas de mesa vienen con una dirección DMX asignada.
(Canales 13 / 14 / 15 / 16)
Para crear zonas y controlarlas independientemente, es necesario
asignar otras direcciones DMX a las lámparas de mesa. Debe indicarse
en la confirmación del pedido.
Controlador DMX Necesario (no incluido).

AFRICA CHAIR
65036

54252DY

54252WY

65005DCO

AFRICA ARMCHAIR
65005

65005CO

65005CCO

65036DCO

BROOKLYN CHAIRS
65037, 65038

65036CO

65036CCO

65037DCO

DELTA CHAIR
66026

65037CO

65037CCO

66026DCO

FAZ CHAIRS
(WOOD, CLEAR, INOX.)
54294, 54063, 54045, 54295,
54062, 54044

66026CO

66026CCO

54044DCO

IBIZA CHAIR
65040

54044CO

54044CCO

65040DCO

IBIZA ARMCHAIR
65041

65040CO

65040CCO

65041DCO

IBIZA CHAIR WITH ARMS
65044

65041CO

65041CCO

65044DCO

IBIZA LOUNGE CHAIR
65039

65044CO

65044CCO

65039DCO

KES CHAIRS
64018, 64017

65039CO

65039CCO

64018DCO

KIMONO CHAIR
54299

64018CO

64018CCO

54299DCO

LA PEDRERA
65004

54299CO

54299CCO

65004DCO

LOVE CHAIR
65042

65004CO

65004CCO

65042DCO

QUARTZ CHAIRS
54194, 54195

65042CO

65042CCO

54194DCO

SABINAS ARMCHAIR
45012

54194CO

54194CCO

45012DCO

SOLID CHAIR
55024

45012CO

45012CCO

55024DCO

SOLID ARMCHAIR
55027

55024CO

55024CCO

55027DCO

SOLID LOUNGE CHAIR
55023

55027CO

55027CCO

55023DCO

SOLID SOFA
55022

55023CO

55023CCO

55022DCO

SPRITZ ARMCHAIR
56017

55022CO

55022CCO

56015DCO

SPRITZ CHAIR &
CHAIR WITH ARMS
56016, 56015

56015CO

56015CCO

56017DCO

SPRITZ LOUNGE CHAIR
56024

56017CO

56017CCO

56024DCO

SPRITZ SOFA
56025

56024CO

56024CCO

56025DCO

SPRITZ STOOL
56019, 56020

56025CO

56025CCO

56019DCO

SPRITZ SUN LOUNGER
56027

56019CO

56019CCO

56027DCO

VASES ARMCHAIR
47070

56027CO

56027CCO

47070DCO

VOXEL CHAIR
51033

47070CO

47070CCO

51033DCO

VOXEL ARMCHAIR
51031

51033CO

51033CCO

51031DCO

WALLSTREET ARMCHAIR
65006

51031CO

51031CCO

65006DCO

Group 1 A
(Dralon)

Group 1 B
(Nautic)

Group 1 C
(Silvertex, Crevin, Savane, Heritage)

55027CO

55027CCO

55023DCO

55023CO

55023CCO

55022DCO

55022CO

55022CCO

56015DCO

56015CO

56015CCO

56017DCO

56017CO

56017CCO

56024DCO

56024CO

56024CCO

56025DCO

56025CO

56025CCO

56019DCO

56019CO

56019CCO

56027DCO

56027CO

56027CCO

47070DCO

47070CO

47070CCO

51033DCO

51033CO

51033CCO

51031DCO

51031CO

51031CCO


65006DCO

FINISHES & COLORS

PRODUCT COLORS

VONDOM

Basic. Básico.



Lacquered. Lacado.




TABLE
BASES


Basic injection.
Básico inyección.



White / Milos Ecu / Cala Tortora Gray Black / Manta



Navy Almond Pickle



Red Melon Mostaza Bronze

Clear PC.
PC translúcido.



Cristal 4101 Fume 4103 Amber 4102



Opaque White PC 4105 Opaque Black PC 4104


Powder Coated Aluminium.
Aluminio lacado al horno.



White 5001 British Gray 5038 Traffic Gray 5037 Black 5002



Ecu 5034 Crema 5036 Castoro Fiber 5035 Bronze 5033



Navy 5017 Modo Green Pickle 5020 Almond 5019



Red 5014 Purjai Red 5031 Melon 5018 Mostaza 5016

Ash Wood.
Madera de fresno.



Wood 1 Wood 2

HPL Solid Core.
HPL Solid Core



White
Solid Core
(10 & 12mm)



Castoro Fiber 7006
Solid Core
(10mm)



Traffic Gray 7008
Solid Core
(10mm)



Modo Green 7003
Solid Core
(10mm)



Notte Blue 7001
Solid Core
(10mm)



Crema 7007
Solid Core
(10mm)



Piombo Gray 7005
Solid Core
(10mm)



British Gray 7009
Solid Core
(10mm)



Cacao 7004
Solid Core
(10mm)



Purjai Red 7002
Solid Core
(10mm)




Marmo Gioia 7101
Solid Core
(10mm)



Yule Brown 7105
Solid Core
(10mm)



Pulpis Gray 7104
Solid Core
(10mm)



Yule Gray 7102
Solid Core
(10mm)



Kandia Black 7103
Solid Core
(10mm)

HPL Black Edge.
HPL borde negro.



Black
Black-edge
(10 & 12mm)



White
Black-edge
(10 & 12mm)



Ecru
Black-edge
(10 & 12mm)

DECKTON®
Ceramic Surfaces.



Entzo
Dekton
(12mm)



Danae
Dekton
(12mm)



Kelya
Dekton
(12mm)

Glass.
Vidrio.



Glass
(10mm)

Nautical. (Group 1)




Silvertex. (Group 1)




FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNÍFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SÍMBOLOS
Nautical. Soft acrylic outdoor fabric with leather-like texture.	657 gr/m²	EN 1021 1-2 DIN 4102 B2 BS 5852 DIN 53438/T2 CAL TB 117	>100.000 cycles	XENOTEST DIN 54004/NTC 1479 ASTM D-4329/ CFFA-2 c2	100% Polyester HiLoft Backing	Clean using a cotton cloth with neutral soap 1/9 water solution. Rub dry with a clean cloth and let dry.	

FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNÍFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SÍMBOLOS
Silvertex. Soft-shiny acrylic outdoor fabric.	685 gr/m²	EN 1021 1-2 DIN 4102 B2 NF P 92-503 / M2 UNE 23.727-90 IR/ M2 IMO MSC.307 CAL TB 117	>300.000 cycles	>7 - DIN 54004 NTC 1479 (UV outdoor) 4 - ISO 105B04	100% PVC	Clean using a cotton cloth with neutral soap 1/9 water solution. Do not use Rub dry with a clean cloth and let dry.	

Savane. (Group 1)



White 1501




Whisper 1502



Tornado 1503

FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNÍFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SÍMBOLOS
Savane. An irregular weave reveals its textural beauty. Suited naturally to all outdoor furnitures.	400 gr/m²	CAL TB 117 NFPA 260 UFAC - Class I	50.000 cycles	(UV indoor) 8/8 - ISO 105B02 (UV outdoor) 4-5 - ISO 105B04	100% Acrylic	Clean using a cotton cloth with 1/5 household bleach solution. Remove all bleach residues with water. Rub dry with a clean cloth and let dry.	


Crevin. (Group 1)




White 07



Steel 51



Anthracite 53



Taupe 54




Deep Blue 1302



Blue 1301



Lemondgrass 1303



Melon 1304

FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNÍFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SÍMBOLOS
Crevin. Upholstery fabric with a medium size and elegant weave. 40% made with recycled PET.	520 gr/m²	EN 10211 BS5852 0/1 CAL TB 117 NFPA 260	60.000 cycles	(water) 4-5 - ISO 105E03/02/01 (UV outdoor) >6 - ISO 105B04	40% Recycled PET 60% PP	Clean using a cotton cloth with 1/5 household bleach solution. Remove all bleach residues with water. Rub dry with a clean cloth and let dry.	


Dralon. (Group 1)



White 1401



Ecrú 1402



Black 1403



Bronze 1404


FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNÍFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SÍMBOLOS
Dralon. Basic acrylic outdoor fiber for contract products' cushions.	185 gr/m²	BS5852 0/1 UNE 10211 BS7176 Low hazard	25.000 cycles	(UV indoor) 6-7/8 - ISO 105B02 (water) 5 - ISO 105E03/02/01	100% Acrylic	Clean using a cotton cloth with neutral soap solution. Rub dry with a clean cloth and let dry.	

Heritage. (Group 1)

Made with recycled acrylic.



Papyrus 18006-0000



Granite 18004-0000

FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNÍFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SÍMBOLOS
Heritage. Made using 50% of recycled plastics.	335 gr/m²	BS5852 0/1 UNE 10211 BS7176 Low hazard	25.000 cycles	(UV indoor) 7-8/8 - ISO 105B02 (UV outdoor) 5/5 - ISO 105B04	50% Recycled acrylic, 47% Sunbrella acrylic, 3% PE	Clean using a cotton cloth with neutral soap solution. Rub dry with a clean cloth and let dry.	

Cico. (Group 1)




Limestone 1701




Gravel 1702



Sandstone 1703



Greywacke 1704



Onix 1705



Cranberry 1707



Blueberry 1706

FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNÍFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SÍMBOLOS
Cico. Cozy fabric with an elegant look and soft touch.	427 gr/m²	BS5852 0/I	25.000 cycles	(UV indoor) 7/8 - ISO 105B02 (UV outdoor) 4/5 - ISO 105B04	100% Polypropylene	Clean using a cotton cloth with neutral soap solution. Rub dry with a clean cloth and let dry.	    

MS Acapulco. (Group 1)



Acapulco 1801




Acapulco 1802




Acapulco 1803



Acapulco 1804



Acapulco 1805



Acapulco 1806

FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNÍFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SÍMBOLOS
Acapulco. Cozy fabric with an elegant look and soft touch.	661 gr/m²	TB117-2013 UNE 1021 1	>30.000 cycles	-	100% Polypropylene	Clean using a cotton cloth with neutral soap solution. Rub dry with a clean cloth and let dry.	     

MS Siesta. (Group 1)



Siesta 1810



Siesta 1811




Siesta 1812



Siesta 1813

FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNÍFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SÍMBOLOS
Siesta. Cozy fabric with an elegant look and soft touch.	500 gr/m²	TB117-2013 UNE 1021 1	60.000 cycles	-	100% Polypropylene	Clean using a cotton cloth with neutral soap solution. Rub dry with a clean cloth and let dry.	     


MS Ikon. (Group 1)



Ikon 1830



Ikon 1831



Ikon 1832



Ikon 1833



Ikon 1834




Ikon 1835

FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNÍFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SÍMBOLOS
Ikon 36. Cozy fabric with an elegant look and soft touch.	880 gr/m²	TB117-2013 UNE 1021 1	30.000 cycles	-	100% Polypropylene	Clean using a cotton cloth with neutral soap solution. Rub dry with a clean cloth and let dry.	     




Berry 1021



Masai 1018



Sunset 1020




Noa 1026



Pruna 1045




Vera 1019



Afrodita 1013



Crana 1046



Dahlia 1035




Bacco 1034



Amatista 1011




Galan 1025




Perla 1006




Eclipse 1023




Calipso 1017




Wine 1012



Foc 1052




Hestia 1014



Chocolate 1050



Moka 1010




Night 1024



Ultramar 1002



Niord 1015



Aquamarina 1003



Esmeralda 1016



Ecrú 1047



Desert 1033



Taupé 1048



Terra 1039




Duna 1009




Bosc 1029




Artemisa 1027



Oceano 1005



Caribe 1004



Turquoise 1053



Oasis 1007



Moon 1040



Granito 1008



Grey 1043



Anthracite 1044



Aguacate 1028



Lima 1030



Delhi 1038




Oro 1031




Ocre 1051



Snow 1041




Iceberg 1037



Steel 1042

FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNÍFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SÍMBOLOS
Glad. Impressive outdoor fabric with an elegant thick wave.	975 gr/m²	BS5852 (I)	30.000 cycles	-		Clean using a cotton cloth with neutral soap solution. Rub dry with a clean cloth and let dry.	    

Ropes.



Snow


Ecu

Gray

Taupe

FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNÍFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SÍMBOLOS
Glad Ropes. Impressive outdoor woven cords with an elegant thick wave.	975 gr/m²	BS5852 (I)	30.000 cycles	-		Clean using a cotton cloth with neutral soap solution. Rub dry with a clean cloth and let dry.	

Sunvision.



White Sv 8860

Silver Sv 8876

Ecu Sv 8859

Bronze Sv U350

FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNÍFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SÍMBOLOS
Sunvision. Acrylic woven screen suitable for outdoors. It reduces the amount of light that passes through.	275 gr/m²	-	-	(UV indoor) 7-8/8 - ISO 105B02 (UV outdoor) 4-5/5 - ISO 105B04	Polyester coated with PVC		

Velum.




White Vlm 2000

Steel Vlm 2003

FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNÍFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SÍMBOLOS
Velum. Lightweight and semi-transparent fabrics for curtains. The shimmering reflections create a romantic and refined atmosphere.	165 gr/m²	-	-	(UV indoor) 8/8 - ISO 105B02 (UV outdoor) 4-5 - ISO 105B04	100% Acrylic	Clean using a cotton cloth with 1/5 household bleach solution. Remove all bleach residues with water. Rub dry and let dry.	

Batyline.



White 5001

Ecu/Taupe 5014

Bronze 5048

Steel 5382

Black 5005

FABRIC TEJIDO	WEIGHT PESO	FLAME RESISTANCE RESIST. IGNÍFUGA	RESISTANCE ABRASION	COLOR FASTNESS SOLIDEZ DEL COLOR	COMPOSITION COMPOSICIÓN	MAINTENANCE MANTENIMIENTO	SYMBOLS SÍMBOLOS
Batyline. breathable acrylic mesh used on sun loungers and sunroofs. Thanks to its non-absorption and quick-dry features, Batyline mesh can be quickly dried off.	500 gr/m²	EN 1021 1-2 EN 13501 - 1 DIN 4102 B1 NFP 92-507 CAL TB 117 IMO MSC 307	>120.000 cycles	4/5 ASTM G154	Polyester fibre protected with PVC coating.	Wash the mesh with a mild liquid detergent and fresh water, using a soft bristle brush. Batyline mesh has anti-fungal treatment where the moist will have no effect on it.	

TECHNICAL **FEATURES**



Finishes & Extras Furniture

All our products are suitable for indoor and outdoor use.

BASIC

Matte finish.

LACQUERED

High gloss lacquered.

TWO-TONE LACQUERED

High gloss lacquered finish in two different colors. To avoid possible damage we do not recommend stacking the product.

EXTRAS / OPTIONS

WHITE LED

White internally lit unit with LED technology. Available only in matte ice white finish.

RGBW LED

Unit with internal lighting with RGBW LED technology and remote control unit for switching colors. Avail-
able only in matte ice white finish. Remote control included.

RGBW LED DMX

Unit with internal lighting with RGBW LED technology and remote control unit for switching colors. Also
controlled by DMX-1024 (wireless), enabling communication between one or more products simultane-
ously via the DMX transmitter (not included). There are two options to choose from: Professional XLR DMX
and Home WIFI DMX.

Both options are available in various configurations:

1* DMX Wireless Standard Configuration.

2* DMX Wireless Customized Configuration.

WITH BATTERY

RGBW LED BATTERY

Unit with internal lighting with battery-powered RGBW LED technology. Includes charger and remote
control for switching colors and charger. Available only in matte ice white finish.

RGBW LED DMX BATTERY

Unit with internal lighting with RGBW LED technology supplied by a battery (includes charger and
remote control unit for switching colors). Also controlled by DMX-1024 (wireless), enabling communica-
tion between one or more products simultaneously via the DMX transmitter (not included). There are two
options to choose from: Professional XLR DMX and Home WIFI DMX.

Both options can have 2 different configurations:

1* DMX Wireless Standard Configuration.

2* DMX Wireless Customized Configuration.

Finishes & Extras Nanos

Mini products made out of polyethylene resin. Item suitable for indoor and outdoor use.

NANO BASIC

Matte finish. The Ice matte finish can be illuminated.

NANO LACQUERED

High gloss lacquered.

EXTRAS / OPTIONS

NANO WHITE LED

Compact ice-colored unit with white LED lighting. For interior use only.

NANO RGBW LED WITH BATTERY (CHRISMY)

Compact ice-colored unit with white LED lighting. For interior use only. Charger and batteries included.
(Includes remote control unit for changing color).

Finishes & Extras Pots & Planters

Pots and planters made out of a single walled polyethylene resin. Item suitable for outdoor use.

SIMPLE

Matte finish.

LACQUERED

High gloss lacquered.

Double layer pots and planters made out of polyethylene resin. Item suitable for indoor and outdoor use

BASIC

Matte finish.

The Ice matte finish can be illuminated.

SELF-WATERING SYSTEM

This system provides the plant with water whenever the plant needs it, this mechanism has an indicator
that alerts us when the plant needs to be watered.

Available in matte and lacquered finishes only for indoor use.

Not recommended for outdoors. Due to the drainage, the indicator will not work properly.

LACQUERED

High gloss lacquered.

This self-watering system is included in the basic finish collections.

EXTRAS / OPTIONS

WHITE LED

White internally lit unit with LED technology. Available only in matte ice white finish.

RGBW LED

Unit with internal lighting with RGBW LED technology and remote control unit for switching colors. Avail-
able only in matte ice white finish. Remote control included.

RGBW LED DMX

Unit with internal lighting with RGBW LED technology and remote control unit for switching colors. Also
controlled by DMX-1024 (wireless), enabling communication between one or more products simultane-
ously via the DMX transmitter (not included). There are two options to choose from: Professional XLR DMX
and Home WIFI DMX.

Both options are available in various configurations:

1* DMX Wireless Standard Configuration.

2* DMX Wireless Customized Configuration.

WITH BATTERY

RGBW LED BATTERY

Unit with internal lighting with battery-powered RGBW LED technology. Includes charger and remote
control for switching colors and charger. Available only in matte ice white finish.


RGBW LED DMX BATTERY

Unit with internal lighting with RGBW LED technology supplied by a battery (includes charger and
remote control unit for switching colors). Also controlled by DMX-1024 (wireless), enabling communication
between one or more products simultaneously via the DMX transmitter (not included). There are two op-
tions to choose from: Professional XLR DMX and Home WIFI DMX. (Remote control included).

Both options can have 2 different configurations:

1* DMX Wireless Standard Configuration.

2* DMX Wireless Customized Configuration.



Bluetooth Sound System

Connect your smartphone or tablet via Bluetooth to the built in speakers.

- Sound systems 200W Dual component.

- Bluetooth Ready v.4.0.

- Input: AUX Jack 3,5 mm.

- USB Charger for portable gadget - Output 5V= 1500mA

Lightining

POWER SUPPLY

LED WHITE

- Simple color LEDs 4500 K

- 720 - 2800 LM Max. (Models subject to availability)

- 12 - 72 W Max. (Models subject o availability)

- Power supply: Mean Well / Class 2 / IN: 100-240V AC / 50-60Hz

- IEE: Class A

- IP65 / applicable for wet areas.

- Ta: 40°C

- 4-5 m. white cable Ho5RN-F 2G1 mm2 + Plug (EU - AUS - UK) ⚡ ⚡ ⚡

- 4-5 m. white cable SJTW - 2 x AWG18 + Plug (USA) ⚡ ⚡

- CE / RoHS / UL



NANO LED WHITE

- Simple color LEDs 4500 K

- 40 LM

- 14 W Max.

- Wall Power supply: IN: 100-240V AC / 50-60Hz

- IEE: Class A

- IP20 / indoor use only

- Ta: 35°C

- 2 Meters transparent cable with hand switch + EU Plug ⚡

- CE / RoHS

RGBW LED

- Multicolor LEDs RGBW

- Controller RF433 Mhz / 10-15 meters range

- 450 - 1100 LM Max. (Models subject to availability)

- 16 - 72 W Max. (Models subject to availability)

- Power supply: Mean Well / Class 2 / IN: 100-240V AC / 50-60Hz

- IEE: Class A

- IP65 / applicable for wet areas.

- Ta: 40°C

- 4-5 m. white cable Ho5RN-F 2G1 mm2 + Plug (EU - AUS - UK) ⚡ ⚡ ⚡

- 4-5 m. white cable SJTW - 2 x AWG18 + Plug (USA) ⚡ ⚡

- CE / RoHS / UL



RGBW LED DMX

- Multicolor LEDs RGBW

- Controller RF433 Mhz / 10-15 meters range

- DMX 1024 decoder / 2.4Ghz wireless signal/ compatible with IOS or Android & Professional Installations.

- DMX 1024 decoder / 2.4 Ghz wireless signal.

-Home WiFi DMX wireless controller, compatible with IOS and Android (not included)

-Professional DMX wireless controller, connector XLR (not included)

- 450 - 1100 LM Max. (Models subject to availability)

- 12 - 72 W Max. (Models subject to availability)

- Power supply: Mean Well / Class 2 / IN: 100-240V AC / 50-60Hz

- IEE: Class A

- IP65 / applicable for wet areas.

- Ta: 40°C

- 4-5 m. white cable Ho5RN-F 2G1 mm2 + Plug (EU - AUS - UK) ⚡ ⚡ ⚡

- 4-5 m. white cable SJTW - 2 x AWG18 + Plug (USA) ⚡ ⚡

- CE / RoHS / UL



BATTERY

BATTERY RGBW LED

- Multicolor LEDs RGBW

- Controller RF433 Mhz / 10-15 meters range

- 450 - 1100 LM Max. (depending on the model)

- 12 - 72 W Max. (depending on the model)

- Li-ion Battery 5.219 Ah (depending on the model) 12V / 6-8 h autonomy / Load 5h - 500 cycles

- Charger: 1.5A - 4A (depending on the model) IN: 100-240V AC / 50-60Hz

- IEE: Class A / CE / RoHS / IP65 (Suitable for wet areas)

- Ta: 40°C

BATTERY RGBW LED DMX

- Multicolor LEDs RGBW

- Controller RF433 Mhz / 10-15 meters range

- DMX 1024 decoder / 2.4 Ghz wireless signal.

-Home WiFi DMX wireless controller, compatible with IOS and Android (not included)

-Professional DMX wireless controller, connector XLR (not included)

- Li-ion Battery 5.2 - 19 Ah (depending on the model) 12V / 6-8 h autonomy / Load 5h - 500 cycles

- Charger: 1.5A - 4A (depending on the model) IN: 100-240V AC / 50-60Hz

- 1100 LM Max. (Models subject to availability)

- 12 - 72 W Max. (Models subject to availability)

- IEE: Class A / CE / RoHS / IP65 (Suitable for wet areas)

- Ta: 40°C

BATTERY NANO LED RGBW

- Multicolor LEDs

- Controller RF433 Mhz / 10-15 meters range

- 40 - 100 LM Max.

- 1.5 W Max.

- Li-ion Battery 2 Ah / 5V / 6-8 h autonomy / Load 5h / IN: 100-240V AC / 50-60Hz

- IEE: Class A / CE / RoHS / IP65 (Suitable for wet areas)

- Ta: 40°C

LED WHITE TABLE LAMPS NEW

- Single LED Warm White 2700k°

- ON/OFF & Dimmer tactile

- 0.8W (Battery) - 3.3 W Max. (Power supply).

- Li-ion Battery 3000 mA 4.2V / 12 h autonomy / Load 4h - 500 cycles

- USB Charger 5v DC 1A / IN: 100-240V AC / 50-60Hz

- Ta: 40°C

- IEE: Class A++ / IP54 / CE

RGBW LED TABLE LAMPS NEW

- 5 LEDs Colors. (Blue / Fucsia / Amber / Turquoise / Warm White 2700k°)

- ON/OFF & Dimmer tactile

- 0.8W (Battery) - 3.3 W Max. (Power supply).

- Li-ion Battery 3000 mA 4.2V / 12 h autonomy / Load 4h - 500 cycles

- USB Charger 5v DC 1A / IN: 100-240V AC / 50-60Hz

- Ta: 40°C

- IEE: Class A+ / IP54 / CE

RGBW LED DMX TABLE LAMPS NEW

- 5 LEDs Colors. (Blue / Fucsia / Amber / Turquoise / Warm White 2700k°)

- ON/OFF & Dimmer tactile

- DMX 1024 decoder / 2.4 Ghz wireless signal.

-Home WiFi DMX wireless controller, compatible with IOS and Android (not included)

-Professional DMX wireless controller, connector XLR (not included)

- 0.8W (Battery) - 3.3 W Max. (Power supply).

- Li-ion Battery 3000 mA 4.2V / 12 h autonomy / Load 4h - 500 cycles

- USB Charger 5v DC 1A / IN: 100-240V AC / 50-60Hz

- Ta: 40°C

- IEE: Class A+ / IP54 / CE



Material Features

POLYPROPYLENE

- Material: Polypropylene resin with glass fiber , UV stabilizer.
- Process: injection moulding.
- Shock resistant.
- Light weight.

- 100% recyclable.

POLYETHYLENE

- Material: LLDPE Resin. Linear low-density poethylene. UL94 HB.
- Process: Rotational Moulding.
- Resistant to UVl. Fattore UV8, equivalent to 8.000 hours of Florida sunlight.
- Resistant to extreme temperatures (-60°C to + 80°C) / (-76°F to 176°F)
- Shock Resistant.
- Light weight
- The planters are easily drilled to make draining holes.

- Recyclable 100%.

POLYCARBONATE

- Material: Polycarbonate resin. Low viscosity, high strength.
- Process: Injection Moulding.
- Shock Resistant.
- Light weight

- Recyclable 100%.

ALUMINIUM (TABLE BASE)

- Material: AISI12 (EN AC-44100).
- Process: Cast aluminum.
- Shock Resistant.
- Recyclable 100%.

- Powder coated cast aluminum.

ALUMINUM (PROFILE)

- Material: 6060 (AlMgSi,3.3206,A96060).
- Process: Aluminum extrusion.
- Shock Resistant.
- Recyclable 100%.

- Lacquered.

WOOD

- FSC cerificated.
- Ash wood (non suitable for outdoor) - Iroko Wood (Suitable for outdoor).
- Shock resistant.

- Recyclable 100%.

STAINLESS STEEL (COUNTER TOP)

- Material: AISI12 (EN AC-44100).
- Process: Laser cut.
- Shock Resistant.

- Recyclable 100%.

PADDED FOAM

Polyurethane foam is suitable for outdoor use and in areas with high humidity.

Perfectly waterproof, high drying capacity, comfortable and easily cleaned.

Properties	Unit	Value	Specifications
Composition	-	100% Polyester	-
Fibre type	-	Solid, semi-dull	-
Fineness of the fibres	den	10.0	±1.0
Average fibres length	mm	60.0	±2.0
Maximum temperature	°C	110.0	±1.0
Manufacturing process	Dry carded and ternal drying		
Recyclability	100%, without additives or binding agents		

- Other caracterics:
- It does not absorb or retain moisture.
 - It is not affected by mould, insects or rodents.
 - It does not cause irritation to the skin or the mucous membranes.

POLYURETHANE FOAM (UPHOLSTERED FURNITURE) NEW

Furniture made produced with Polyurethane foam injected. The foam has high resilience and durability. The flexible Polyurethane foam is covered with a elastic cellular net that keeps the original product's shape after its use. Prevents fungal and bacterial growth.

Mechanical properties.

- Tensile strength resistance: between 3 & 10 (Kp/cm2)
- Compression resistance: between 1,5 & 9 (Kp/cm2)
- Shear strength resistance: between 1 & 5 (Kp/cm2)
- Modulus of elasticity: between 40 & 200 (Kp/cm2)

Fabrics Features

NAUTICAL

Soft leather like fabric suitable for indoor and outdoor use. Standard option for upholstery.

Composition	Vinyl / 100%Polyester HiLoft
Weight	780 gr/m2
Abrasion	>120.000 cycles
Fire Retardancy	EN 1021 (Parts 1 - 2) - M2 (NF P 92.507) BS 5852 - DIN 53438/T2
Cold Crack	-20°C
UV Resistance	1000 hours / Factor 7UV
Antibacterial Treatment	Yes
Outdoor Using	Yes

SILVERTEX

Vinyl fabric suitable for indoor and outdoor. Special option for upholstery.

Composition	Vinyl / 100%Polyester HiLoft
Weight	685 gr/m2
Abrasion	>300.000 cycles (Martindale)
Fire Retardancy	EN 1021 (Parts 1 - 2) DIN 4102 B2 - NF P 92-503 / M2 UNE 23.727-90 IR/ M2 - IMO A.652 (16) annex 1, 8.2&8.3
Cold Crack	-23°C
UV Resistance	1000 hours / Factor 7UV
Antibacterial Treatment	Yes
Outdoor Using	Yes

BATYLINE

Woven polyester fibre protected with PVC coating. Suitable for indoor and outdoor use.

Composition	Polyester / PVC Composite
Weight	500 gr/m2
Abrasion	SC (very heavy use)
Fire Retardancy	EN 1021 (Parts 1 - 2) - DIN 4102 B1 - NFP 92-503/M2 B-S2-D0 - NF-EN 13501-1 - OMI A.652 (part 16) CAL TB N° 117 -2000 Section E, Part 1
Extreme working temperatures	-30°C / +70°C
UV Resistance	ΔE lab < 3 UVA 340 / 2000 hours
Antibacterial Treatment	Yes
Outdoor Using	Yes

CREVIN

Upholstery fabric, that as and natural appearance and can be easy cleaned by washing machines, allowing an easy removal of mildew. Suitable for indoor and outdoor use.

Composition	57%PP 38%PES 5%PU
Weight	546 gr/m2
Abrasion	EN ISO 12947-2:1998, EN 14465:2003/A1:2006 60.000
Assessment of Ignitability	EN 1021-1:2006
UV Resistance	ΔE lab > 6 EN ISO 105-B04:1997 (1000 hours)
Antibacterial Treatment	Yes
Outdoor Using	Yes

DICKSON@ SUNVISION

PVC and acrylic outdoor fabric for Vela Canopy, Vela Round Canopy and Ulm parasol.

Composition	High tenacity polyester PVC coated and solution dyed acrylic.
Finish	Cleangard special dirt-resistant and awning water repellent treatment.
Weight	275 gr/m2
Colour fastness weather conditions 1000h	4-5/5 (Norme: ISO 105 B04)
Colour fastness UV	7-8/8 (Norme: ISO 105 B02)
Tear strength	Warp 6,5 daN / Weft 5 daN
Tensile strength	Warp 80 daN / Weft 80 daN
Outdoor Using	Yes

SUNBRELLA@ VELUM

Outdoor fabrics are waterproof 100 % acrylic. Used for curtains of Canopys and round Daybed.

Composition	100% Sunbrella Acrylic
Finish	Water-Repellent & Stain Proff
Weight	165 gr/m2
Colour fastness weather conditions 1000h	4-5/5 (Norme: ISO 105 B04)
Colour fastness UV	7-8/8 (Norme: ISO 105 B02)
Colour fastness 40°C washing	5/5 (Norme: ISO 105 C01)
Care Instructions	Washable 30°C
Environment	Confidence in textiles CQ 638/2 - Greenguard
Outdoor Using	Yes

SUNBRELLA@ SAVANE

Outdoor fabrics are waterproof 100% acrylic.

Composition	100% Sunbrella Acrylic
Finish	PFOS (perfluoroctanyl sulphonate)
Weight	400 gr/m2
Colour fastness UV	8/8 (Norme: ISO 105 B02)
Colour fastness UV - Outdoor	4-5/5 (Norme: ISO 105 B04)
Colour fastness 40°C washing	5/5 (Norme: ISO 105 C06)
Care Instructions	Lavable 40°C
Environment	Confidence in textiles CQ 638/7 - Greenguard
Outdoor Using	Yes

SUNBRELLA@ HERITAGE

Outdoor fabrics are waterproof 50% recycled acrylic, 47% acrylic and 3% PE.

Composition	50% Sunbrella Recycled acrylic, 47% Sunbrella acrylic, 3% PE
Finish	Water-Repellent & Stain Proff
Weight	335 gr/m2
Colour fatness UV	7-8/5
Colour fastness 40°C washing	5/5 (Norma: ISO 105 C01)
Care Instructions	Washable 40°C
Outdoor Using	Yes

GLAD NEW

Soft and cozy fabric suitable for indoor and outdoor use.

Composition	100% PP (Ten Stars Yarn)
Weight	975 gr/m2
Abrasion	30.000 cycles
Fire Retardancy	cigarette test: BS5852 part 1:(1990)
Pilling	5
UV Resistance	Factor 7UV BS EN ISO 105-B02:1999
Antibacterial Treatment	Yes
Outdoor Use	Yes
Resistant to sea water	5



Table Tops Features

DEKTON @ NEW

Ceramic surface with high resistance, suitable for indoor and outdoor use.

				Kelya	Entzo	Danae
				46	45	55
Flexural tensile strength or modulus of rupture	UNE EN ISO 10545-4	Average flexural resistance	N/ mm2	2548	2313	2356
		Average break load	N	14966	13559	13818
Water absorption, ap-parent porosity, density	UNE EN ISO 10545-3	Average break strength	N			
		Water absorption by boiling	%	0	0,1	0,1
		Water absortion by vacuum	%	0,1	0,1	0,1
		Open porosity	%	0,2	0,2	0,2
Resistance to deep abrasion	UNE EN ISO 10545-6	Aparent relative density	g/cm3	2,51	2,61	2,53
		Aparent density	g/cm3	2,50	2,61	2,52
Impact resistance	UNE EN ISO 10545-5	Wear volume	mm3	125	106	115
Determination of linear thermal expansion	UNE EN ISO 10545-8	Coefficient of restitu-tion (COR)	-	0,85	0,85	0,85
		Expansion 30-100°C	°C-1	6,5 · 10-6	5,1 · 10-6	6,3 · 10-6
Thermal shock resistance	UNE EN ISO 10545-9	Damage	-	ULA (no damage)	ULA (no damage)	ULA (no damage)
		Expansion max	mm/m	0,1	0,1	0,1
Moisture expansion	UNE ISO 10545-10	Expansion mid	mm/m	0,0	0,0	0,0
		Damage	-	ULA (no damage)	ULA (no damage)	ULA (no damage)
Frost resistance	UNE EN ISO 10545-12	Damage	-	ULA (no damage)	ULA (no damage)	ULA (no damage)
		Damage	-	ULA (no damage)	ULA (no damage)	ULA (no damage)

HPL

Suitable for indoor and outdoor use.

HPL Tabletops for Mari-sol, Faz and Delta table bases thickness is 10mm ± 0,55.

Thickness	ISO 4586 ½	mm	13 ± 0,55	
Density	ISO 1183	Kg/m3	1400 - 1500	
Absorción de agua	ISO 4586 ½	%	Weight	2,0 max.
			Thickness	2,0 max.
Estabilidad dimensional a altas temperaturas	ISO 4586 ½	%	Long.	0,25 max.
			Trans.	0,55 max.
Hardness	ASTM D 785	HR E	97 ca	
Resistencia a la flexión	ISO 178	MPa	Long.	145 min
		MPa	Trans	135 min

GLASS

Security tempered glass. Thickness: 10 mm.

Technical Features	Units	Value
Resistant to soft body impact		2(B)2
Resistance against suddne temperature changes	K	40
Resistant to wind, snow and large weight	mm	10
Sound insulation	dB	34 (-1,-3)
Thermal Properties		
Thermal Transmittance (value U)	W/(m2,K)	5.6
Light Transmission tV		0.53
Light Reflecion pV		0.06/0.06
Solar Transmission tE		0.52
Solar Reflection pE		0.06/0.06

DMX Wireless

DMX 512 (Digital Multiplex) is a mecanism used for the electronic control of entertainment lighting, enabling communication between the control-table, our own lights and light sources. You can create customized and special environments. This allowed to control every Vondom product independently or in groups.

There are 2 different DMX Wireless, depending on our customer needs:


DMX WIRELESS PROFESSIONAL XLR PACK

Vondom DMX Wireless Professional XLR you can control all LED RGBW VONDOM pieces from your Mix Tables, PC+software, Domotic panels, etc.


1* DMX Wireless Standard Configuration
Preset three separate Family products: POTS, LAMPS & FURNITURE.

2* DMX Wireless Customized Configuration
You can send us your customized special environment that you want to control independently and we will set it up.

DMX WIRELESS HOME WIFI PACK



2* Example of DMX Wireless Professional Customized Configuration




DMX IS FUN!


Vondom DMX Wireless Home Wi-Fi Pack is a WI-FI access point to control all LED RGBW VONDOM items with your IOS or Android devices.

1* DMX Wireless Standard Configuration
Preset three separate Family products: PLANTERS, LAMPS & FURNITURE.

2* DMX Wireless Customized Configuration
You can send us your customized requirements in order to control individually each item/group and we will set it up. (Max. 8 rooms).



2* Example of DMX Wireless Home Customized Configuration



MAINTENANCE & SAFETY GENERAL

- Our productions are manufactured according to ISO 9001:2008 quality and ISO 14001:2004 environmental quality, by using high quality materials we guarantee long life of our products.
- In order to provide a durable and safe use to the product, please follow the following recommendations:
- All our products are suitable for indoor and outdoor use.
 - Continuous exposure to the sun (especially with the dark colors) can cause burning injuries by direct contact with your skin. To avoid this, please check the temperature of the furniture in case of long-term exposure to the sun.
 - Place the item on a flat surface to avoid uncontrolled movements.
 - Keep the item far from excessive heat sources.
 - The product is not a toy. To avoid accidents, do not to allow children to play with it.
 - Keep furniture away dust to keep it clean, if cleaning is be required we recommended the use of pressure washers, such as KARCHER'S and/or domestic degreasing cleaner periodically. Never use abrasive or corrosive products.
 - To preserve the product, we recommend the usage of VONDOM cover for every item.
 - In the case of lacquered products, we recommended car wax every 2 or 3 months, as it will avoid the appearance of possible scratches.
 - Outdoor cushions are available only some models. We recommended you clean them periodically with a cloth and basic soap and water.
 - Clean the stainless steel parts with appropriate products.
 - When changing bulbs, please make sure the cord is not connected to the main power.
 - If cords suffer any damage, they must be changed exclusively by the manufacturer or by a professional.
 - If the RGBW LED stops working, please do not handle it. Contact the manufacturer or your distributor immediately.



KEY ICONS

- Please avoid direct exposure to sun and rain.
- Packaging information.
- Stackable.
- Stackable or collapsible.

Please note that injection products are sold as indivisible packaging. The quantity of products per package is shown in the corresponding packaging information.

Remote Control Instructions

△ Repeat last order (Re-send order)

⏻ ON / OFF

A/B/C Groups (A = Furniture and furnishings / B = Planters & Pots / C = Lamps) can be customized, 3 maximum items.

ABC Controls all groups simultaneously

□ Automatic color change

● Memory Button (for programming custom colors) (consult "advanced functions")

○ Programmed colors

⊗ Warm White 2700K / Natural White 4000k / Cool White 6500k

+/- More / less (speed or intensity)

- Remote Control Battery: CR2032
- RF Controller: 433 Mhz / 10-15 meters (30-45 feet) range
- IP20 / indoor use only.

Acabados y Extras Mobiliario

Mobiliario fabricado en resina de polietileno con doble pared. Producto apto tanto para interior como exterior.

BASIC
Acabado mate.

LACADO 
Acabado lacado brillo.

BICOLOR LACADO 
Acabado lacado brillo en dos colores diferentes. Para evitar posibles daños no se recomienda apilar el producto.

EXTRAS / OPCIONES

LED BLANCO
Mobiliario con iluminación de color blanco mediante tecnología LED. Solo disponible en acabado hielo mate.

RGBW LED
Mobiliario con iluminación interior mediante tecnología LED RGBW y mando a distancia para cambiar de color. Solo disponible en acabado hielo mate.

RGBW LED DMX
Mobiliario con iluminación interior mediante tecnología LED RGBW y mando a distancia para cambiar de color. Controlado también por DMX-1024 (wireless), permitiendo la comunicación entre uno o multiples productos simultaneamente mediante el transmisor DMX (no incluido). Hay dos opciones para seleccionar. Professional XLR DMX y Home WIFI DMX.
1º DMX Wireless configuración estandar.
2º DMX Wireless configuración personalizable según el cliente.

CON BATERÍA

RGBW LED BATTERY
Mobiliario con iluminación interior mediante tecnología LED RGBW, alimentado por una batería. Se incluye mando a distancia para cambiar de color y cargador. Solo disponible en acabado hielo mate.

RGBW LED DMX BATTERY
Mobiliario con iluminación interior mediante tecnología LED RGBW, alimentado por una batería (incluye cargador y mando a distancia para cambio de color). Controlado por DMX-1024 (wireless), permitiendo la comunicación entre uno o multiples productos simultaneamente mediante el transmisor DMX (no incluido). Hay dos opciones para seleccionar: Professional XLR DMX y Home WIFI DMX. Ambas opciones disponen de varias configuraciones:
1º DMX Wireless configuración estandar.
2º DMX Wireless configuración personalizable según el cliente.

Acabados y Extras Nanos

Producto de dimensiones reducidas fabricado en resina de polietileno, con doble pared. Producto apto para exterior e interior.

NANO BASIC
Acabado mate.

NANO LACADO 
Acabado lacado brillo.

EXTRAS / OPCIONES

NANO LED BLANCO
Producto de dimensiones reducidas color hielo con iluminación LED de color blanco. Sólo para interiores.
NANO LED RGBW CON BATERIA (CHRISMY)
Producto de dimensiones reducidas color hielo con iluminación mediante tecnología Led RGBW. Solo para interiores. Cargador y batería incluidos. (Incluye mando para cambiar de color).

Acabados y Extras Maceteros y Jardineras

Maceta en resina de polietileno con una sola pared. Producto apto para exterior

SIMPLE
Acabado mate.

SIMPLE LACADA
Acabado lacado brillo.
Maceta en resina de polietileno con doble pared. Producto apto tanto para interior como exterior

BASIC
Macetero acabado mate.

AUTORRIEGO
Macetero acabado mate con sistema de autorriego.

LACADO 
Macetero acabado lacado brillo con sistema de autorriego.

EXTRAS / OPCIONES

LED BLANCO
Maceta con sistema de autorriego con iluminación interior de color blanco mediante tecnologia LED. Solo disponible en acabado hielo mate.

RGBW LED
Maceta con sistema de autorriego, que incluye iluminación interior mediante tecnología LED RGBW y mando a distancia para cambiar de color. Solo disponible en acabado hielo mate.

RGBW LED DMX
Maceta con sistema de autorriego, que incluye iluminación interior mediante tecnología LED RGBW y mando a distancia para cambiar de color. Controlado por DMX-1024 (wireless), permitiendo la comunicación entre uno o multiples productos simultaneamente mediante el transmisor DMX (no incluido). Hay dos opciones para seleccionar. Professional XLR DMX y Home WIFI DMX. Ambas opciones disponen de varias configuraciones:
1º DMX Wireless configuración estandar.
2º DMX Wireless configuración personalizable según el cliente.

CON BATERÍA

RGBW LED BATTERY
Maceta con sistema autorriego, que incluye iluminación interior mediante tecnología LED RGBW, alimentado por una batería. Se incluye mando a distancia para cambiar de color y cargador. Solo disponible en acabado hielo mate.

RGBW LED DMX BATTERY
Maceta con sistema autorriego, que incluye iluminación interior mediante tecnología LED RGBW, alimentado por una batería (incluye cargador y mando a distancia para cambio de color). Controlado por DMX-1024 (wireless), permitiendo la comunicación entre uno o multiples productos simultaneamente mediante el transmisor DMX (no incluido). Hay dos opciones para seleccionar: Professional XLR DMX y Home WIFI DMX. Ambas opciones disponen de varias configuraciones:
1º DMX Wireless configuración estandar.
2º DMX Wireless configuración personalizable según el cliente.



Bluetooth Sound System ✨

Conecta tu smartphone o tablet a los altavoces integrados en el mobiliario Vondom por Bluetooth.
- Sound systems 200W Dual component.
- Bluetooth Ready v. 4.0.
- Entrada: AUX Jack 3,5 mm.
- USB de carga para cualquier dispositivo portátil
- Salida 5V= 1500mA

Iluminación Información técnica

FUENTE DE ALIMENTACIÓN

LED BLANCO
- Color simple LEDs 4500 K
- 720 - 2800 LM Máx. (según modelos)
- 12 - 72 W Máx. (según modelos)
- Fuente de alimentación: Mean Well / Class 2 / IN: 100 - 240V AC / 50 - 60Hz
- IEE: Class A
- IP65 / aplicable para zonas húmedas
- Ta: 40°C

- 4-5 m. de cable Blanco Ho5RN-F 2G1 mm2 + Clavija (EU - AUS - UK)   
- 4-5 m. de cable Blanco SJTW - 2 x AWG18 + Clavija (USA) 
- CE / RoHS / UL



NANO LED BLANCO
- Color simple LEDs 4500 K
- 40 LM
- 14 W Máx.
- Fuente de alimentación de pared: IN: 100-240V AC / 50-60Hz
- IEE: Clase A
- IP20 / Aplicable para interiores
- 2 m. de cable Transparente con interruptor de mano + Clavija EU 
- Ta: 35°C
- CE / RoHS

LED RGBW
- Multicolor LEDs RGBW
- Controlador RF433 Mhz / 10-15 metros de alcance
- 450 - 1100 LM Máx. (según modelos)
- 12 - 72 W Máx. (según modelos)
- Fuente de alimentación: Mean Well / Class 2 / IN: 100-240V AC / 50-60Hz
- IEE: Clase A
- IP65 / Aplicable para zonas húmedas
- Ta: 40°C
- 4-5 m. de cable Blanco Ho5RN-F 2G1 mm2 + Clavija (EU - AUS - UK)   
- 4-5 m. de cable Blanco SJTW - 2 x AWG18 + Clavija (USA) 
- CE / RoHS / UL



LED RGBW DMX
- Multicolor LEDs RGBW
- Controlador RF433 Mhz / 10-15 metros de alcance
- Decodificador DMX 1024 / Señal sin cables 2.4 Ghz
-Controlador Home WiFi DMX Sin Cables, compatible con IOS y Android (no incluido)
-Controlador Profesional DMX Sin Cables, conector XLR (no incluido)
- 450 - 1100 LM Máx. (según modelos)
- 12 - 72 W Máx. (según modelos)
- Fuente de alimentación: Mean Well / Class 2 / IN: 100-240V AC / 50-60Hz
- IEE: Clase A
- IP65 / Aplicable para zonas húmedas
- Ta: 40°C
- 4-5 m. de cable Blanco Ho5RN-F 2G1 mm2 + Clavija (EU - AUS - UK)   
- 4-5 m. de cable Blanco SJTW - 2 x AWG18 + Clavija (USA) 
- CE / RoHS / UL



CON BATERÍA

LED RGBW BATERIA
- Multicolor LEDs RGBW
- Controlador RF433 Mhz / 10-15 metros de alcance
- 450 - 1100 LM Máx. (según modelos)
- 12 - 72 W Máx (según modelos)
- Batería Li-ion 5.2 - 19 Ah (según modelos) 12V / 6-8 h autonomía / Carga 5h - 500 ciclos /
- Cargador 1,5A - 4A (segun modelos) IN: 100-240V AC / 50-60Hz
- CE / RoHS / IP65 (Aplicable para zonas húmedas)
- Ta: 40°C

LED RGBW DMX + BATERIA
- Multicolor LEDs RGBW
- Controlador RF433 Mhz / 10-15 metros de alcance
- Decodificador DMX 1024 / Señal sin cables 2.4 Ghz
-Controlador Home WiFi DMX Sin Cables, compatible con IOS y Android (no incluido)
-Controlador Profesional DMX Sin Cables, conector XLR (no incluido)
- 450 - 1100 LM Máx. (según modelos)
- 12 - 72 W Máx (según modelos)
- Batería Li-ion 5.2 - 19 Ah (según modelos) 12V / 6-8 h autonomía / Carga 5h - 500 ciclos /
- Cargador 1,5A - 4A (segun modelos) IN: 100-240V AC / 50-60Hz
- CE / RoHS / IP65 (Aplicable para zonas húmedas)
- Ta: 40°C

NANO LED RGBW BATERIA
- Multicolor LEDs RGBW
- Controlador RF433 Mhz / 10-15 metros de alcance
- 40 - 100 LM Máx - 1.5 W Máx
- Batería Li-ion 2 Ah / 5V / 6-8 h autonomía / Carga 5h /
- Cargador 0,5A IN: 100-240V AC / 50-60Hz
- CE / RoHS / IP65 (Aplicable para zonas húmedas)
- Ta: 40°C

LED BLANCO LÁMPARAS DE MESA **NEW**
- LED Blanco cálido 2700k°
- ON/OFF y Control de intensidad táctil
- 0.8W (Con batería) - 3.3 W Max. (Conectado a la corriente).
- Batería Li-ion 3000 mA 4.2V / 12 h autonomía / Carga 4h - 500 ciclos
- Cargador USB 5v DC 1A / IN: 100-240V AC / 50-60Hz
- Ta: 40°C
- IEE: Clase A++ / IP54 / CE

RGBW LED LÁMPARAS DE MESA **NEW**
- 5 LEDs Colors. (Azul / Fucsia / Ámbar / Turquesa / Blanco cálido 2700k°)
- ON/OFF y Control de intensidad táctil
- 0.8W (Con batería) - 3.3 W Max. (Conectado a la corriente).
- Batería Li-ion 3000 mA 4.2V / 12 h autonomía / Carga 4h - 500 ciclos
- Cargador USB 5v DC 1A / IN: 100-240V AC / 50-60Hz
- Ta: 40°C
- IEE: Clase A+ / IP54 / CE

RGBWLED DMX LÁMPARAS DE MESA **NEW**
- 5 LEDs Colors. (Azul / Fucsia / Ámbar / Turquesa / Blanco cálido 2700k°)
- ON/OFF y Control de intensidad táctil
- Decodificador DMX 1024 / Señal sin cables 2.4 Ghz
-Controlador Home WiFi DMX Sin Cables, compatible con IOS y Android (no incluido)
-Controlador Profesional DMX Sin Cables, conector XLR (no incluido)
- 0.8W (Con batería) - 3.3 W Max. (Conectado a la corriente).
- Batería Li-ion 3000 mA 4.2V / 12 h autonomía / Carga 4h - 500 ciclos
- Cargador USB 5v DC 1A / IN: 100-240V AC / 50-60Hz
- Ta: 40°C
- IEE: Clase A+ / IP54 / CE



Materiales Características

POLIPROPILENO

- Material: Resina de polipropileno con fibra de vidrio, Estabilizador UV.
- Proceso: moldeo por inyección.
- Resistente a los golpes.
- Ligero .
- 100% reciclable.

POLIETILENO

- Material: Resina de LLDPE. Polietileno lineal de baja densidad. UL94 HB.
- Proceso: Moldeo rotacional.
- Resistente a UVI. Factor UV8, equivalente a 8.000 horas de sol de Florida.
- Resistente a temperaturas extremas (-60°C a +80°C) / (-76°F to 176°F)
- Resistente a impactos.
- Ligera.
- Los maceteros son fáciles de taladrar para realizar las marcas de drenaje.
- Reciclable 100%.

POLICARBONATO

- Material: Resina de policarbonato. Alta resistencia a la rotura.
- Proceso: moldeo por inyección.
- Resistente a los golpes.
- Ligero .
- 100% reciclable.

ALUMINIO (PIES DE MESA)

- Material: AISI12 (EN ACE-44100)
- Proceso: Fundición de aluminio.
- Resistente a los golpes.
- 100% reciclable.
- Pintado al horno con pintura epoxy.

ALUMINIO (PERFILERÍA)

- Material: 6060 (AlMgSi.3.3206.A96060).
- Proceso: Extrusión de aluminio.
- Resistente a los golpes.
- 100% reciclable.
- Lacado.

MADERA DE IROKO (SLOO COLLECTION)

- Madera dura y muy resistente.
- Proceso: Torneado.
- Resistente a los golpes y al exterior.
- 100% reciclable.

ACERO INOX. (SOBRES DE BARRA)

- Material: AISI12 (EN ACE-44100)
- Corte a laser.
- Resistente a los golpes.
- 100% reciclable.

RELLENO ACOLCHADOS

Espuma utilizada para los acolchados de las piezas de inyección. Es una espuma de poliuretano ideal para usos exteriores y en zonas con mucha humedad.

Características Técnicas	Unidad	Valor	Tolerancia
Composición	-	100% Poliéster	-
Tipo de fibra	-	Solida, semi-dull	-
Finura media de las fibras	den	10.0	± 1.0
Longitud media de las fibras	mm	60.0	± 2.0
Tª máxima de utilización	°C	110.0	± 1.0
Proceso de Fabricación	Cardado por vía seca y consolidado térmico.		
Reciclabilidad	100%, en cuanto a que no contiene aditivos ni ligantes.		

- Otras Propiedades:
- No absorbe ni retiene humedad, no es putrescible.
 - No constituye alimento para insectos ni roedores.
 - No desprende partículas durante su manipulación. Es un producto inocuo, no irrita mucosas ni la piel.

ESPUMA DE POLIURETANO (PRODUCTOS TAPIZADOS) **NEW**

Mobiliario fabricado en poliuretano flexible inyectado en frío. Este material posee una alta resiliencia y durabilidad. La espuma flexible de poliuretano posee una estructura celular abierta, es un material muy elástico, que cuando se retira la carga a la que haya sido sometida, recupera instantáneamente su forma original. Dificulta el crecimiento de hongos y bacterias.

- Resistencia a la tracción entre 3 y 10 (Kp/cm2)
- Resistencia a la compresión entre 1,5 y 9 (Kp/cm2)
- Resistencia al cizallamiento entre 1 y 5 (Kp/cm2)
- Módulo de elasticidad entre 40 y 200 (Kp/cm2)

Tejidos Características

NÁUTICA

Tejido náutico apto para interior y exterior. Opción estándar para los acolchados.

Composición	Vinilo / 100% Poliéster HiLoft
Peso	780 gr/m2
Abrasión	>120.000 ciclos
Tratamiento Ignifugo	EN 1021 (Parts 1 - 2) - M2 (NF P 92.507) BS 5852 - DIN 53438/T2
Temperatura mínima de uso	-20°C
Resistencia UV	1000 horas / Factor 7UV
Tratamiento antibacteriano	Sí
Apto para exterior	Sí

SILVERTEX

Tejido vinílico apto para interior y exterior. Opción especial para los acolchados.

Composición	Vinilo / 100% Poliéster HiLoft
Peso	685 gr/m2
Abrasión	>300.000 ciclos (Martindale)
Tratamiento Ignifugo	EN 1021 (Partes 1 - 2) DIN 4102 B2 - NF P 92-503 / M2 UNE 23.727-90 IR/ M2 - IMO A.652 (16) annexo 1, 8.2&8.3
Temperatura mínima de uso	-23°C
Resistencia UV	1000 horas; Factor 7UV
Tratamiento antibacteriano	Sí
Apto para exterior	Sí

BATYLINE

Tela tejida en poliéster protegida por PVC. Apta para interior y exterior.

Composición	Poliester / PVC Compuesto
Peso	500 gr/m2
Abrasión	SC (uso muy severo)
Tratamiento Ignifugo	EN 1021 (Partes 1 - 2) - DIN 4102 B1 - NFP 92-503/M2 B-S2-D0 - NF-EN 13501-1 - OMI A.652 (parte 16) CAL TB N° 117 -2000 Sección E, Parte 1
Temperatura extremas de uso	-30°C / +70°C
Resistencia UV	ΔE lab < 3 UVA 340 / 2000 horas
Tratamiento antibacteriano	Sí
Apto para exterior	Sí

CREVIN

Tejido de tapicería con aspecto natural. Apta para interior y exterior. Fácil limpieza de las manchas y el moho.

Composición	57%PP 38%PES 5%PU
Peso	546 gr/m2
Abrasión	EN ISO 12947-2:1998, EN 14465:2003/A1:2006 60.000
Reacción al fuego	EN 1021-1:2006
Resistencia UV	ΔE lab > 6 EN ISO 105-B04:1997 (1000 horas)
Tratamiento antibacteriano	Sí
Apto para exterior	Sí

SUNVISION DICKSON®

Tejido para exterior de PVC y acrílico para el techo del cenador, el parasol Ulm y daybed redondo Vela.

Composición	Hilo poliéster de alta tenacidad recubierto de PVC y hilo acrílico teñido en masa
Acabado	Tratamiento Clengard especial toldo, antimanchas e impermeabilizante
Peso	165 gr/m2
Solidez de los colores a intemperies 1000h	4-5/5 (Norme: ISO 105 B04)
Solidez de los colores UV	7-8/8 (Norme: ISO 105 B02)
Resistencia al desgarro	Urdimbre 6,5 daN / Trama 5 daN
Resistencia a la rotura	Urdimbre 80 daN / Trama 80 daN
Uso para el exterior	Yes

VELUM SUNBRELLA®

Tejidos para exterior hidrófugo acrílico 100%. Utilizado para las cortinas de los cenadores y Daybed redondo Vela.

Composición	100% Sunbrella Acrylic
Acabado	Impermeable y resistente a las manchas
Peso	165 gr/m2
Solidez de los colores condiciones climáticas 1000h	4-5/5 (Norma: ISO 105 B04)
Solidez de los colores UV	7-8/8 (Norma: ISO 105 B02)
Solidez del color al lavado 40°C	5/5 (Norma: ISO 105 C01)
Instrucciones de cuidado	Lavable 30°C
Medio ambiente	Confidence in textiles CQ 638/2 - Greenguard
Uso para el exterior	Sí

SAVANE SUNBRELLA®

Tejidos para exterior hidrófugo acrílico 100%.

Composición	100% Sunbrella Acrílico
Acabado	PFOS (perfluorooctanilo sulfonato)
Peso	400 gr/m2
Solidez colores UV	8/8 (Norma: ISO 105 B02)
Resistencia al color UV - Exterior	4-5/5 (Norma: ISO 105 B04)
Solidez colores al lavado 40°C	5/5 (Norma: ISO 105 C06)
Instrucciones de cuidado	Lavable 40°C
Medio ambiente	Confidence in textiles CQ 638/7 - Greenguard
Uso para el exterior	Sí

HERITAGE SUNBRELLA®

Tejidos para exterior hidrófugo acrílico 50% acrílico reciclado, 47% acrílico y 3% PE.

Composición	50% Sunbrella Acrílico reciclado, 47% Sunbrella Acrílico, 3% PE
Acabado	Impermeable y resistente a las manchas
Peso	335 gr/m2
Solidez colores UV	7-8/5
Solidez colores al lavado 40°C	5/5 (Norma: ISO 105 C01)
Instrucciones de cuidado	Lavable 40°C
Uso para el exterior	Sí

GLAD **NEW**

Tejido premium apto para interior y exterior.

Composición	100% PP (Ten Stars Yarn)
Densidad	975 gr/m2
Abrasión	30.000 ciclos
Retardante de fuego	Test de cigarrillo: BS5852 parte 1:(1990)
Pilling	5
Resitencia UV	Factor 7UV BS EN ISO 105-B02:1999
Tratamiento antibacteriano	Sí
Uso exterior	Sí
Resistencia al agua del mar	5



Sobres de mesa Características

DEKTON ® **NEW**

Superficies cerámicas de alta resistencia, apto para uso interior y exterior.

				Kelya	Entzo	Danae
Resistencia a la flexión y carga de rotura.	UNE EN ISO 10545-4	Resistencia flexión media	N/mm2	46	45	55
		Carga de rotura media	N	2548	2313	2356
		Fuerza de rotura media	N	14966	13559	13818
Absorción de agua, porosidad abierta y densidades.	UNE EN ISO 10545-3	Absorción de agua por ebullición	%	0	0,1	0,1
		Absorción de agua por vacío	%	0,1	0,1	0,1
		Porosidad abierta	%	0,2	0,2	0,2
		Densidad relativa aparente	g/cm3	2,51	2,61	2,53
		Densidad aparente	g/cm3	2,50	2,61	2,52
Abrasión profunda.	UNE EN ISO 10545-6	Volumen abrasionado	mm3	125	106	115
Resistencia al impacto.	UNE EN ISO 10545-5	Coefficiente de restitución medio	-	0,85	0,85	0,85
Dilatación térmica lineal.	UNE EN ISO 10545-8	Dilatación entre 30-100°C	°C-1	6,5 · 10 ⁻⁶	5,1 · 10 ⁻⁶	6,3 · 10 ⁻⁶
Resistencia a choque térmico.	UNE EN ISO 10545-9	Daño	-	Pasa sin daño	Pasa sin daño	Pasa sin daño
Dilatación por humedad.	UNE EN ISO 10545-10	Expansión máxima	mm/m	0,1	0,1	0,1
		Expansión media	mm/m	0,0	0,0	0,0
Resitencia a la helada.	UNE EN ISO 10545-12	Daño	-	Pasa sin daño	Pasa sin daño	Pasa sin daño

HPL

Tableros prensado a alta presión y alta temperatura. Producto apto para interior y exterior.

Grosor	ISO 4586 ½	mm	13 ± 0.55	
Densidad	ISO 1183	Kg/m3	1400 - 1500	
Absorción de agua	ISO 4586 ½	%	Peso	2,0 max.
			Espesor	2,0 max.
Estabilidad dimensional a altas temperaturas	ISO 4586 ½	%	Long.	0,25 max.
			Trans.	0,55 max.
Dureza	ASTM D 785	HR E	97 ca	
Resistencia a la flexión	ISO 178	MPa	Long.	145 min
			Trans	135 min

VIDRIO

Cristal templado de seguridad. Grosor: 10 mm.

Resistencia al impacto de cuerpo blando		2(B)2
Resistencia contra cambios repentinos de temperatura y diferenciales de temperatura	K	40
Resistencia al viento, nieve, carga permanente e impuesta	mm	10
Atenuación acústica al ruido aéreo directo	dB	34 (-1,-3)
Transmisión térmica (valor U)	W/(m2,K)	5.6
Transmisión luminosa tV		0.53
Reflexión luminosa pV		0.06/0.06
Transmisión energía solar tE		0.52
Reflexión energía solar pE		0.06/0.06

DMX Sin cables

DMX 512 (Digital MultipleX), es un protocolo electrónico utilizado en luminotecnia para el control de la iluminación de espectáculos, permitiendo la comunicación entre los equipos de control de luces y las propias fuentes de luz.


DMX Sin Cables. Puedes crear ambientes especiales y personalizados. Permite controlar cada producto Vondom de manera independiente o en grupos.

Hay 2 tipos de DMX Wireless, dependiendo las necesidades del cliente.


DMX WIRELESS PROFESSIONAL XLR PACK

Con Vondom DMX Profesional XLR Sin cables se puede controlar todos los productos VONDOM mediante una mesas de mezclas, Ordenadores + Programa, Paneles Domoticos, etc.

- 1* DMX Wireless Configuración Estándar
Están preconfiguradas tres Familias independientes: MACETAS, LAMPARAS, MOBILIARIO.
- 2* DMX Wireless Configuración Personalizada
Puede indicarnos los productos o grupos que necesita controlar independientemente y nosotros lo configuraremos.



2* Ejemplo de configuración personalizada DMX Wireless Professional




DMX IS FUN!


DMX WIRELESS HOME WIFI PACK

El paquete Home Wi-Fi Vondom DMX Sin cables es un punto de acceso Wi-Fi con el que controlar todos sus productos VONDOM mediante sus dispositivos IOS o Android.

- 1* DMX Wireless Configuración Estándar
Están preconfiguradas tres Familias independientes: MACETAS, LAMPARAS, MOBILIARIO.
- 2* DMX Wireless Configuración Personalizada
Puede indicarnos los productos o grupos que necesita controlar independientemente y nosotros lo configuraremos. (Máx. 8 zonas)



2* Ejemplo de configuración personalizada DMX Wireless Home



MANTENIMIENTO Y SEGURIDAD GENERAL

Nuestra producción se rige según las normas de nuestro sistema de aseguramiento de la calidad ISO 9001:2008 y de medio ambiente ISO 14001:2004. Y solamente utilizamos materiales de altísima calidad para garantizar una larga vida útil a los productos.

Para proporcionarle un uso duradero y seguro al producto, por favor siga las siguientes instrucciones:

- Todos nuestros productos son aptos tanto para interior como para exterior.
- La exposición continua al Sol, especialmente los colores oscuros, puede provocar lesiones por contacto con la piel. Tenga la precaución de verificar la temperatura de los muebles antes de su uso en horas de sol extremo.
- Coloque la pieza en una superficie regular y sin pendiente para evitar desplazamientos incontrolados.
- Manténgala alejada de fuentes de calor excesivas.
- El producto no es un juguete. No permita que los niños jueguen con ellos, para evitar accidentes.
- Mantenga sus muebles fuera de fuentes de polvo para mantenerlos limpios. En caso de que se requiera su limpieza se recomienda el uso de sistemas de presión de agua tipo KARCHER y/o desengrasantes domésticos de forma periódica. Nunca utilice productos abrasivos o corrosivos.
- Para una mejor conservación del mobiliario, se aconseja cubrir con fundas para cada uno de los artículos.
- Las colecciones lacadas son aptas para el exterior pero hay que extremar su cuidado puesto que son más delicadas, no debe utilizar agua a presión ni productos abrasivos o corrosivos. Para ello, es aconsejable aplicar cada 2 ó 3 meses cera de carrocería y así eliminar la aparición de posibles arañazos.
- Existen acolchados aptos para el exterior, disponibles para algunas colecciones. Se recomienda limpiarlos periódicamente utilizando un paño con jabón neutro y agua.
- Limpie las partes de acero inoxidable con productos adecuados.
- En caso de sustituir la bombilla, asegúrese de que el cable no está conectado a la corriente eléctrica.
- Si el cable sufre algún deterioro, debe cambiarse exclusivamente por el fabricante o por un profesional.
- Si el LED dejara de funcionar, no manipular en ningún caso y contactar con el fabricante o distribuidor del producto.

LIMPIEZA GENERAL

Vondom Mobiliario de exterior se limpia fácilmente y permanece impecable.

Pasos para limpiar mobiliario the exterior:

1. Pulverice con un quitagrasas la superficie a limpiar.
2. Frote con un paño húmedo y agua.
3. Aclare con abundante agua con un sistema de agua a presión.
4. Déjalo secar en el exterior.

- Esperemos que disfrute de nuestros productos. Si desea más información no dude en comunicárselo a nuestro departamento de ATENCIÓN AL CLIENTE llamando al **+34 96 239 84 86** o enviando un correo electrónico a **info@vondom.com**

LEYENDAS

- Evitar la exposición al sol y la lluvia.
- Información de embalaje.
- Apilable.
- Apilable y abatible.

Por favor, tenga en cuenta que los productos de inyección se venden en embalajes indivisibles. La cantidad de productos por embalaje se muestra en la información del embalaje.

DESIGN Studio Vondom

VCC_0221 Jun 2021

ES | Las posibles diferencias entre el color original y el color reproducido se deben a la técnica de impresión.

VONDOM se reserva el derecho exclusivo sobre todas las marcas, fotografías y diseños utilizados en sus colecciones, por lo que queda prohibida la fabricación, distribución y/o comercialización de los productos que los contienen, en cualquier medio o soporte.

En particular quedan reservados a favor de su titular los derechos de reproducción total o parcial, la transformación de los mismos y/o su utilización fuera de la esfera privada y con fines comerciales.

VONDOM se reserva el derecho de modificar total o parcialmente sin aviso previo cualquiera de los datos y especificaciones de esta publicación.

Toda la información que aparece en este catálogo referente a dimensiones y capacidades son aproximadas.

© Copyright. 2021. Vondom, S.L.U.

Todos los Derechos a beneficio de VONDOM

EN | The possible differences between pictures and real items could be due to the colors in the printing technology process.

VONDOM all rights related to trademarks, pictures and designs are reserved.

All manufacturing distribution and/or trading activities in any media of the products displayed in the collections are prohibited. Specifically those rights about total or partial reproduction, transformation and/or usage in public with commercial purposes.


VONDOM reserves the right to effect any changes or improvements, without notice.

All the information included in this catalogue regarding sizes and capacities are approximated.

© Copyright. 2021. Vondom, S.L.U.

All rights reserved to the order of VONDOM

Control Remoto Instrucciones



- Repetir la última orden (Enviar la orden de nuevo)
- on / off
- Grupos (A = Mobiliario / B = Macetas / C = Lámparas) Se pueden personalizar, maximo 3.
- Controlar todas los grupos a la vez
- Cambio de color automático
- Botón Memoria (para programar un color personalizado) (consultar las funciones avanzadas)
- Colores programados
- Blanco cálido 2700K / Blanco natural 4000k / Blanco frio 6500k
- Mas o menos (velocidad o intensidad)

- Pilas para el Control Remoto: CR2032
- Controlador RF 433 Mhz / 10-15 metros de alcance.
- IP20 / Apto solo para uso interior.

VONDOM

vondom.com

HEAD QUARTERS - FACTORY

VONDOM S.L.U.
Poligono 6, 16
46293 - Beneixida, Valencia - Spain
t.: +34 96 239 84 86 info@vondom.com

Latinoamérica

Gobernador Melchor Muzquiz 15 - 208
Col. San miguel Chapultepec 11850
Ciudad de México - México
latam@vondom.com

USA

VONDOM LLC.
8803 NW 23rd Street, Miami, FL 33172 - USA
ph.: +1 786 391 0274 - +1 786 353 9108
infousa@vondom.com

China

VONDOM Lifestyle Design Co., Ltd.
C6-103, No. 700, Wan Rong Road, Jing An
200072 - Shanghai - China - +86 21 6521 9916
infochina@vondom.com